



June 7, 2013

Ms. Alison Thompson Department of Environmental Quality Northern Regional Office 13901 Crown Court Woodbridge, VA 22193

Re: Permit renewal application VA 0065358

Boston Water & Sewer STP

Dear Ms. Thompson;

Enclosed please find the VPDES permit application for the above referenced permittee. Should you have questions, or require additional information, please contact me.

Sincerely,

Cody Hoehna, Operations Manager Environmental Services Division

Cc: Edward O'Brien, President

VPDES PERMIT APPLICATION ADDENDUM (FOR VPDES PERMIT NO. VA0065358)

1.	Entity to whom the permit is to be issued: Who will be legally responsible for the wastewater treatr may not be the facility or property owner.	on Water a	& Sewer and compliance	with the permit?	This may or							
	may not be the facility of property owner.											
2.	Is this facility located within city or town boundaries?	Yes	No									
3.	Please provide the tax map parcel number for the lan	d where the d	ischarge is loca	ated: map 27 p	parcel 64							
4.	What is the design average flow of this facility in milli	on gallons pe	r day (MGD)?	0.015 MC	<u>3D</u>							
5.	In addition to the design flow, should the permit be w		nits for any oth	er discharge flov	v tiers?							
	If yes, please identify the other flow tiers in MGD:Please consider such issues as if you plan to expand open											
	Please consider such issues as if you plan to expand open flow is considerably greater than your current flow?	ations during t	he next five yea	ırs or if your facili	ity's design							
	now is considerably greater than your current now:											
6.	Nature of operations generating wastewater: Prin	ting	·····									
		es										
	% of flow from non-domestic connections/so	ources										
7.	Mode of discharge: X Continuous Intermittent Seasonal											
	Describe frequency and duration of intermittent and season	nal discharges	s;									
				•								
8.	Identify the characteristics of the receiving stream at t	he point <u>just a</u>	above the facili	ity's discharge po	oint(s):							
			Ontfall	Number								
	Stream Characteristic	001	Julian	1 (diabo)								
	Never dry, permanent stream	X										
	Usually flowing, sometimes dry, intermittent stream											
	Wet-weather flow, often dry, ephemeral stream				·							
	Usually or always dry, effluent-dependent stream											
	Lake or pond at or below discharge point											
	Other:											
			<u> </u>									
9.	Approval date(s), if applicable:											
	O & M Manual 4/8/2009 Sludge/Solids	Management	Plan 10/11	/2005								
	orange borres .		- V411 V I I I									
	Have there been changes in your operation or procedures											

PUBLIC NOTICE BILLING INFORMATION

I hereby authorize the Department of Environmental Quality to have the cost of publishing a public notice billed to the Agent/Department shown below. The public notice will be published once a week for two consecutive weeks in accordance with 9 VAC 25-31-290.C.2.

Agent/Department to be billed:	<u> </u>
Owner:	Boston Water & Sewer Company
Applicant's Address:	2301 Wyoming Ave., NW
	Washington, DC 20008
Agent's Telephone Number:	(202) 234-1567
Authorizing Agent:	Edward J. o'Buin
.	Signature

VPDES Permit No. VA0065358 Boston Water and Sewer STP

Please return to:

Alison Thompson VA-DEQ, NRO 13901 Crown Court Woodbridge, VA 22193-1453 Fax: 703-583-3821

Boston Water & Sewer STP

VA0065358

FORM 2Α

NPDES FORM 2A APPLICATION OVERVIEW

NPDES

APPLICATION OVERVIEW

Form 2A has been developed in a modular format and consists of a "Basic Application Information" packet and a "Supplemental Application Information" packet. The Basic Application Information packet is divided into two parts. All applicants must complete Parts A and C. Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B. Some applicants must also complete the Supplemental Application Information packet. The following items explain which parts of Form 2A you must complete.

BASIC APPLICATION INFORMATION:

- Basic Application Information for all Applicants, All applicants must complete questions A.1 through A.8. A treatment works that discharges effluent to surface waters of the United States must also answer questions A.9 through A.12.
- В. Additional Application Information for Applicants with a Design Flow ≥ 0.1 mgd. All treatment works that have design flows greater than or equal to 0.1 million gallons per day must complete questions B.1 through B.6.
- Certification. All applicants must complete Part C (Certification).

SUPPLEMENTAL APPLICATION INFORMATION:

- Expanded Effluent Testing Data. A treatment works that discharges effluent to surface waters of the United States and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd.
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to provide the information.
- Toxicity Testing Data. A treatment works that meets one or more of the following criteria must complete Part E (Toxicity Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to submit results of toxicity testing.
- Industrial User Discharges and RCRA/CERCLA Wastes. A treatment works that accepts process wastewater from any significant industrial users (SIUs) or receives RCRA or CERCLA wastes must complete Part F (Industrial User Discharges and RCRA/CERCLA Wastes). SIUs are defined as:
 - 1. All industrial users subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
 - 2. Any other industrial user that:
 - a. Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (with certain exclusions); or
 - b. Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment plant; or
 - Is designated as an SIU by the control authority.
- G. Combined Sewer Systems. A treatment works that has a combined sewer system must complete Part G (Combined Sewer Systems).

ALL APPLICANTS MUST COMPLETE PART C (CERTIFICATION)

EACH I	TYNAME	AND PER	MIT NUMBER:

Boston Water & Sewer STP

Form Approved 1/14/99 OMB Number 2040-0086

VA0065358 **BASIC APPLICATION INFORMATION** PART A. BASIC APPLICATION INFORMATION FOR ALL APPLICANTS: All treatment works must complete questions A.1 through A.8 of this Basic Application Information packet. A.1. Facility Information. Facility name Boston Water & Sewer STP Mailing Address 2301 Wyoming Ave NW, Washington, DC 20008 Contact person Edward O'Brien Title President Telephone number (202) 234-1567 **Facility Address** 1 mile SSW of intersection of Routes 522 and 707 (not P.O. Box) A.2. Applicant Information. If the applicant is different from the above, provide the following: Applicant name Environmental Systems Service, Ltd. Mailing Address 218 N. Main Street P.O. Box 520 Culpeper, VA 22701 Contact person Donald Hearl Title Vice President Telephone number (540) 825-6660 Is the applicant the owner or operator (or both) of the treatment works? operator Indicate whether correspondence regarding this permit should be directed to the facility or the applicant. facility applicant A.3. Existing Environmental Permits. Provide the permit number of any existing environmental permits that have been issued to the treatment works (include state-issued permits). NPDES <u>VA0065358</u> PSD N/A UIC N/A N/A Other **RCRA** Other N/A A.4. Collection System Information. Provide information on municipalities and areas served by the facility. Provide the name and population of each entity and, if known, provide information on the type of collection system (combined vs. separate) and its ownership (municipal, private, etc.). Name Population Served Type of Collection System Ownership **BWASC STP** < 150 Sanitary <u>Private</u> Total population served < 150

FAC	LIT	Y NAME AND PERMIT NU	JMBER:		Form Approved 1/14/99 OMB Number 2040-0086						
3ostc	n V	Vater & Sewer STP	VA006	5358					CIND Hamber 20	70-0000	
A.5.	Inc	dian Country.									
	a.	Is the treatment works loo	cated in India	n Country?							
		Yes		No							
	b.	Does the treatment works through) Indian Country?		a receiving water	r that is either i	n Indian Country o	or that is ups	tream from	ı (and eventually	flows	
		Yes	✓	No							
			·								
A.6.	ave pe	ow. Indicate the design flor erage daily flow rate and m riod with the 12th month of	aximum daily "this year" oc	flow rate for each courring no more t	of the last thr	ee years. Each ye	ear's data m	ust be base			
	a.	Design flow rate	0.015 _{_m}	ngd							
				Two Years /		<u>Last Year</u>		This Yea	ग		
	b.	Annual average daily flow	v rate		.004		.006		.005	mgd	
	Ç.	Maximum daily flow rate			.012		.011		.011	mgd	
A.7.		ollection System. Indicate ntribution (by miles) of each		f collection systen	n(s) used by th	e treatment plant.	Check all ti	nat apply.	Also estimate the	e percent	
	_	✓ Separate sanitary s	ewer						100	%	
		Combined storm an	d sanitary sev	wer					0	%	
ΛΩ	Die	scharges and Other Disp	osal Mathadi	•					•		
A.8.	DIS	scharges and Other Dispi	usai meliivu:	3 ,			,				
	a.	Does the treatment works	discharge ef	fluent to waters of	f the U.S.?			Yes		No	
		If yes, list how many of ea	ach of the follo	owing types of dis	charge points t	the treatment work	ks uses:				
		i. Discharges of treated	effluent						1		
		ii. Discharges of untreat	ted or partially	treated effluent					0		
		iii. Combined sewer ove	rflow points						0		
		iv. Constructed emergen	Constructed emergency overflows (prior to the headworks)								
		v. Other			_				N/A		
	b.	Does the treatment works							,		
		impoundments that do no	t have outlets	for discharge to	waters of the U	l.S.?		_ Yes		No	
		If yes, provide the following Location:	ng <u>for each st</u>	ırface impoundme	<u>ent</u> :						
		Annual average daily volu	ıme discharge	ed to surface impo	oundment(s)				mgd		
		Is discharge	_ continuous	or	intermittent?						
	C.	Does the treatment works	land-apply tr	eated wastewater	?			Yes	✓	No	
		If yes, provide the following	ng <u>for each la</u>	nd application site	<u>:</u> :						
		Location:									
		Number of acres:									
		Annual average daily volu	me applied to	site:	_	 Me	gd				
		Is land application	cont	inuous or	intermit	tent?	_				
	d.	Does the treatment works treatment works?	discharge or	transport treated	or untreated w	rastewater to anot	her ——	Yes	_	No	

Boston Water & Sewer STP VA0065358

	If transport is by a part	other than th	ne applican	it, provide:						
	Transporter name:									
	Mailing Address:	:								
	Contact person:									
	Title:									
	Telephone number:									
	Name: Mailing Address:									
	Walling Address.									
	Contact person:						-			
	contact person.									
	Title:									
	Title: Telephone number:									
	Title: Telephone number: If known, provide the N						ge.			
	Title: Telephone number:						ge.			_ mga
١.	Title: Telephone number: If known, provide the N	ily flow rate fro	om the trea	atment works of its wastev	into the receiv	ring facility.	ge.	Yes		. mgd
:.	Title: Telephone number: If known, provide the N Provide the average da Does the treatment wo	ily flow rate fro ks discharge ove (e.g., unde	om the trea or dispose erground pe	atment works of its wastev ercolation, w	into the receiv	ring facility.	ge.	Yes		_ mga
: .	Title: Telephone number: If known, provide the N Provide the average da Does the treatment woo A.8.a through A.8.d above	ily flow rate fro ks discharge o ve (e.g., unde ving <u>for each o</u>	om the trea or dispose erground po disposal ma	atment works of its wastev ercolation, w	s into the receive vater in a manr vell injection)?	ring facility.	ge.	Yes	✓	

FACI	LIT	Y NAME AND PERM	IIT NUMBER:	Form Approved 1/14/99
Bosto	n V	Water & Sewer STF	P VA0065358	OMB Number 2040-0086
V	VAS	STEWATER DISCHA	RGFS:	
				ons A.9 through A.12 once for each outfall (including bypass points) through
W	/hicl	h effluent is discharge	ed. Do not include information on o	combined sewer overflows in this section. If you answered "no" to question
Α	8.a	a, go to Part B, "Addit	ional Application Information for Ap	oplicants with a Design Flow Greater than or Equal to 0.1 mgd."
. 9.	De	scription of Outfall.		
		Outfall number	001	
	b.	Location	Boston, VA	
	U.	Location	(City or town, if applicable)	(Zip Code)
			Culpeper (County)	VA (State)
			(County) 38° 31' 29"	78° 8' 14"
			(Latitude)	(Longitude)
	C.	Distance from shore	e (if applicable)	N/A ft.
	d.	Depth below surface	e (if applicable)	N/A ft.
	e.	Average daily flow r	ate	0.005 mgd
	f.	Does this outfall have periodic discharge?	ve either an intermittent or a	Yes V No (go to A.9.g.)
		If yes, provide the fo	ollowing information:	
		Number of times pe	r year discharge occurs:	
		Average duration of	each discharge:	
		Average flow per dis	scharge:	mgd
		Months in which dis-	charge occurs:	
	g.	Is outfall equipped v	vith a diffuser?	Yes No
10.	De	scription of Receivi	ng Waters.	
	a.	Name of receiving w	Hazel River, UT	
	b.	Name of watershed	(if known) <u>R</u>	Rappahannock River
		United States Soil C	onservation Service 14-digit waters	shed code (if known): Unknown
	C.	Name of State Mana	agement/River Basin (if known):	Rappahannock River
		United States Geolo	gical Survey 8-digit hydrologic cata	aloging unit code (if known): Unknown
	d.		eceiving stream (if applicable):	
		acute	cfs	chronic cfs

EPA Form 3510-2A (Rev. 1-99). Replaces EPA forms 7550-6 & 7550-22.

e. Total hardness of receiving stream at critical low flow (if applicable): _____ N/A mg/l of CaCO3

FACILITY NAME AND PERMIT NUMBER: Form Approved 1/14/99 OMB Number 2040-0086 Boston Water & Sewer STP VA0065358 A.11. Description of Treatment. a. What levels of treatment are provided? Check all that apply. Primary ✓ Secondary Other. Describe: Advanced b. Indicate the following removal rates (as applicable): Design BOD, removal or Design CBOD, removal greater than 90 Design SS removal greater than 90 Design P removal not designed for Design N removal Other c. What type of disinfection is used for the effluent from this outfall? If disinfection varies by season, please describe. UV If disinfection is by chlorination, is dechlorination used for this outfall? No d. Does the treatment plant have post aeration? A.12. Effluent Testing Information. All Applicants that discharge to waters of the US must provide effluent testing data for the following parameters. Provide the indicated effluent testing required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. At a minimum, effluent testing data must be based on at least three samples and must be no more than four and one-half years apart. Outfall number: 001 **PARAMETER** MAXIMUM DAILY VALUE AVERAGE DAILY VALUE Value Value Units Number of Samples 6.5 pH (Minimum) s.u. 7.6 pH (Maximum) s.u. .011 Flow Rate MGD .005 MGD 323 14.6 °C 9.5 °C 138 Temperature (Winter) 26.2 °C 20.5 °C 185 Temperature (Summer) * For pH please report a minimum and a maximum daily value **MAXIMUM DAILY POLLUTANT AVERAGE DAILY DISCHARGE** ANALYTICAL ML / MDL DISCHARGE METHOD Conc. Units Conc. Units Number of Samples CONVENTIONAL AND NONCONVENTIONAL COMPOUNDS. mg/L 2 mg/L 13 5210SM 5.0 BIOCHEMICAL OXYGEN | BOD-5 CBOD-5

END OF PART A. REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

8.47

7.06

mpn/10

mg/L

12

52

221ESM

2540SM

63.10

10.60

mpn/10

mg/L

DEMAND (Report one)

MEXALXXXIVXXI E.coli

TOTAL SUSPENDED SOLIDS (TSS)

2

1.0

Boston Water & Sewer STP

VA0065358

ВА	SI	IC APPLICATION INFORMATION	
PAR	TF	B. ADDITIONAL APPLICATION INFORMATION FOR APPLICANTS WITH A DESIGN FLOW GREATER THAT EQUAL TO 0.1 MGD (100,000 gallons per day).	AN OR
Alla	pli	icants with a design flow rate ≥ 0.1 mgd must answer questions B.1 through B.6. All others go to Part C (Certification).	
B.1.	In	of low and Infiltration. Estimate the average number of gallons per day that flow into the treatment works from inflow and/or infil	tration.
	Br	riefly explain any steps underway or planned to minimize inflow and infiltration.	
B.2.	Tr	opographic Map. Attach to this application a topographic map of the area extending at least one mile beyond facility property be this map must show the outline of the facility and the following information. (You may submit more than one map if one map does be entire area.)	
	a.	. The area surrounding the treatment plant, including all unit processes.	
	b.	The major pipes or other structures through which wastewater enters the treatment works and the pipes or other structures throtreated wastewater is discharged from the treatment plant. Include outfalls from bypass piping, if applicable.	ough which
	C.	Each well where wastewater from the treatment plant is injected underground.	
		Wells, springs, other surface water bodies, and drinking water wells that are: 1) within 1/4 mile of the property boundaries of the works, and 2) listed in public record or otherwise known to the applicant.	e treatment
	e.	Any areas where the sewage sludge produced by the treatment works is stored, treated, or disposed.	
	f.	If the treatment works receives waste that is classified as hazardous under the Resource Conservation and Recovery Act (RC truck, rail, or special pipe, show on the map where that hazardous waste enters the treatment works and where it is treated, st disposed.	
	bac chlo	ocess Flow Diagram or Schematic. Provide a diagram showing the processes of the treatment plant, including all bypass pipin ckup power sources or redundancy in the system. Also provide a water balance showing all treatment units, including disinfectio lorination and dechlorination). The water balance must show daily average flow rates at influent and discharge points and approximates between treatment units. Include a brief narrative description of the diagram.	n (e.g.
B.4.	Ор	peration/Maintenance Performed by Contractor(s).	
	Are	e any operational or maintenance aspects (related to wastewater treatment and effluent quality) of the treatment works the respontractor?YesNo	nsibility of a
	lf yo	res, list the name, address, telephone number, and status of each contractor and describe the contractor's responsibilities (attach ges if necessary).	additional
	Naı	me:	
	Mai	illing Address:	_ _
	Tek	lephone Number:	-
	Res	sponsibilities of Contractor:	
			_
	unc trea	heduled Improvements and Schedules of Implementation. Provide information on any uncompleted implementation schedu completed plans for improvements that will affect the wastewater treatment, effluent quality, or design capacity of the treatment water works has several different implementation schedules or is planning several improvements, submit separate responses to for each. (If none, go to question B.6.)	orks. If the
	a.	List the outfall number (assigned in question A.9) for each outfall that is covered by this implementation schedule.	
1	b.	Indicate whether the planned improvements or implementation schedule are required by local, State, or Federal agencies.	
		YesNo	

FACILITY NAME AND PER	MIT NUMBER:			Form Approved 1/1					
Boston Water & Sewer S	TP VA0	065358				OMB Nun	nber 2040-0086		
c If the answer to B	.5.b is "Yes," briefly	y describe, includi	ing new maxim	um daily inflow	rate (if applicab	ele).			
applicable. For in	osed by any comp provements plann te dates as accura	ed independently	r any actual da of local, State,	tes of completi or Federal ag	of completion for the implementation steps listed below Federal agencies, indicate planned or actual complet				
		Schedule	Ac	tual Completio	n				
Implementation Si	tage	MM / DD / YY	YYY MI	<u>// DD / YYYY</u>					
 Begin constructi 	on	//	- -						
- End construction	n	//							
 Begin discharge 	:			J_J_					
- Attain operation	al level	//		_//					
e. Have appropriate	permits/clearances	s concerning othe	r Federal/State	requirements	been obtained?	Yes	_No		
Describe briefly:									
Applicants that dischatesting required by the overflows in this section methods. In addition, standard methods for pollutant scans and methods for coutfall Number:	e permitting authori on. All information this data must con analytes not addre ust be no more tha	ty for each outfall reported must be nply with QA/QC r ssed by 40 CFR f	through which based on data equirements of Part 136. At a r	effluent is disc collected throu 40 CFR Part	<u>tharged.</u> Do not ugh analysis con 136 and other ap	include information or ducted using 40 CFR opropriate QA/QC req	n combined sewer Part 136 uirements for		
POLLUTANT	MAXIMUN DISCHA		AVERAG	E DAILY DISC					
	Conc.	Units	Conc.	Units	Number of Samples	ANALYTICAL METHOD	ML/MDL		
CONVENTIONAL AND NON	CONVENTIONAL	COMPOUNDS.			<u></u>				
AMMONIA (as N)									
CHLORINE (TOTAL RESIDUAL, TRC)									
DISSOLVED OXYGEN									
TOTAL KJELDAHL NITROGEN (TKN)									
NITRATE PLUS NITRITE NITROGEN		-		1010					
OIL and GREASE				-					
PHOSPHORUS (Total)									
TOTAL DISSOLVED SOLIDS (TDS)									
OTHER									
		EN	ND OF PA	RT B.	. 	<u>, </u>			

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM

2A YOU MUST COMPLETE

FACILITY NAME AND	PERMIT NUMBER:		Form Approved 1/14/99
Boston Water & Sewe	er STP VA00653	58	OMB Number 2040-0086
BASIC APPLIC	ATION INFORMA	TION	
PART C. CERTIFICA	ATION		
applicants must complet have completed and are	te all applicable sections of F	Form 2A, as explained in the Ap certification statement, applica	rmine who is an officer for the purposes of this certification. All oplication Overview. Indicate below which parts of Form 2A you nts confirm that they have reviewed Form 2A and have completed
Indicate which parts o	f Form 2A you have compl	eted and are submitting:	
Basic Appli	cation Information packet	Supplemental Application I	nformation packet:
		Part D (Expanded	Effluent Testing Data)
		Part E (Toxicity Te	esting: Biomonitoring Data)
		Part F (Industrial I	Jser Discharges and RCRA/CERCLA Wastes)
		Part G (Combined	Sewer Systems)
ALL APPLICANTS MU	ST COMPLETE THE FOLL	OWING CERTIFICATION.	
designed to assure that who manage the system	qualified personnel properly n or those persons directly read nd complete. I am aware tha	gather and evaluate the inform esponsible for gathering the info	under my direction or supervision in accordance with a system nation submitted. Based on my inquiry of the person or persons ormation, the information is, to the best of my knowledge and for submitting false information, including the possibility of fine
Name and official title	Edward O'Brien - Presid	dent	
Signature	Edward J. C	o. Bin	
Telephone number	(202) 234-1567		
Date signed	6/24/13		
	mitting authority, you must so riate permitting requirements		cessary to assess wastewater treatment practices at the treatment

SEND COMPLETED FORMS TO:

Boston Water & Sewer STP

VA0065358

Form Approved 1/14/99 OMB Number 2040-0086

SUPPLEMENTAL APPLICATION INFORMATION

PART D. EXPANDED EFFLUENT TESTING DATA

Refer to the directions on the cover page to determine whether this section applies to the treatment works.

Effluent Testing: 1.0 mgd and Pretreatment Treatment Works. If the treatment works has a design flow greater than or equal to 1.0 mgd or it has (or is required to have) a pretreatment program, or is otherwise required by the permitting authority to provide the data, then provide effluent testing data for the following pollutants. Provide the indicated effluent testing information and any other information required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analyses conducted using 40 CFR Part 136 methods. In addition, these data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. Indicate in the blank rows provided below any data you may have on pollutants not specifically listed in this form. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

Outfall number:	(Coi	mplete d	once for	each out	fall disch	arging e	effluent to	o waters	of the Unite	ed States.)	
POLLUTANT	ľ	MAXIMU DISCI	JM DAIL HARGE	Y	A۱	VERAG	E DAILY	DISCH	ARGE	·	
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
METALS (TOTAL RECOVERABLE),	CYANIDE,	PHENO	LS, AND	HARDNE	SS.						
ANTIMONY											
ARSENIC											
BERYLLIUM											
CADMIUM											
CHROMIUM											
COPPER											
LEAD											-
MERCURY											
NICKEL											
SELENIUM											
SILVER											
THALLIUM									. ===		
ZINC											
CYANIDE											
TOTAL PHENOLIC COMPOUNDS										-	
HARDNESS (AS CaCO ₃)											
Use this space (or a separate sheet) to	provide in	formation	n on other	metals re	quested b	y the per	mit writer				

Boston Water & Sewer STP

VA0065358

Outfall number:									the United S	States.)	
POLLUTANT		DISCH	IM DAIL' IARGE					DISCH		ANIALNOMA	
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
VOLATILE ORGANIC COMPOUNDS.											
ACROLEIN											
ACRYLONITRILE			i								
BENZENE											
BROMOFORM											
CARBON TETRACHLORIDE											
CLOROBENZENE											
CHLORODIBROMO-METHANE											
CHLOROETHANE											
2-CHŁORO-ETHYLVINYL ETHER							,				
CHLOROFORM											.,
DICHLOROBROMO-METHANE											-
1,1-DICHLOROETHANE											
1,2-DICHLOROETHANE								•			
TRANS-1,2-DICHLORO-ETHYLENE											
1,1-DICHLOROETHYLENE											
1,2-DICHLOROPROPANE						".	·				
1,3-DICHLORO-PROPYLENE	_									"-	·
ETHYLBENZENE											
METHYL BROMIDE											
METHYL CHLORIDE											
METHYLENE CHLORIDE				***							
1,1,2,2-TETRACHLORO-ETHANE											
TETRACHLORO-ETHYLENE											
TOLUENE											

Boston Water & Sewer STP

VA0065358

Outfall number:	(Complete once for each outfall				Il discharging effluent to waters of the United States.)						
POLLUTANT	1		JM DAIL' HARGE	Y	A)	VERAGI	E DAILY	DISCH	ARGE		
	Conc.	Units		Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
1,1,1-TRICHLOROETHANE											
1,1,2-TRICHLOROETHANE											
TRICHLORETHYLENE											""
VINYL CHLORIDE											
Use this space (or a separate sheet) to provide information on other volatile organic compounds requested by the permit writer.											
ACID-EXTRACTABLE COMPOUNDS											
P-CHLORO-M-CRESOL											
2-CHLOROPHENOL											
2,4-DICHLOROPHENOL											
2,4-DIMETHYLPHENOL											
4,6-DINITRO-O-CRESOL							-				
2,4-DINITROPHENOL					_			·			
2-NITROPHENOL											-
4-NITROPHENOL											
PENTACHLOROPHENOL								·			
PHENOL											
2,4,6-TRICHLOROPHENOL											
Use this space (or a separate sheet) to	provide in	formation	n on other	acid-extra	actable co	mpounds	requeste	d by the	permit writer.		
BASE-NEUTRAL COMPOUNDS.											,
ACENAPHTHENE							·				-
ACENAPHTHYLENE										"	
ANTHRACENE											
BENZIDINE					-	-				,	
BENZO(A)ANTHRACENE											
BENZO(A)PYRENE											

Boston Water & Sewer STP

VA0065358

Outfall number:	_ (Comp	lete ond	e for ead	ch outfall					the United	States.)	
POLLUTANT	MAXIMUM DAILY DISCHARGE			AVERAGE DAILY DISCHARGE							
	Conc.		Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL ML/ MDL METHOD	ML/ MDL
3,4 BENZO-FLUORANTHENE											
BENZO(GHI)PERYLENE											, ,
BENZO(K)FLUORANTHENE						, i			·		
BIS (2-CHLOROETHOXY) METHANE											
BIS (2-CHLOROETHYL)-ETHER											
BIS (2-CHLOROISO-PROPYL) ETHER											
BIS (2-ETHYLHEXYL) PHTHALATE											
4-BROMOPHENYL PHENYL ETHER											
BUTYL BENZYL PHTHALATE											
2-CHLORONAPHTHALENE											
4-CHLORPHENYL PHENYL ETHER											
CHRYSENE											
DI-N-BUTYL PHTHALATE											
DI-N-OCTYL PHTHALATE											
DIBENZO(A,H) ANTHRACENE							٠	_			
1,2-DICHLOROBENZENE											
1,3-DICHŁOROBENZENE											
1,4-DICHLOROBENZENE											
3,3-DICHLOROBENZIDINE											
DIETHYL PHTHALATE											
DIMETHYL PHTHALATE											
2,4-DINITROTOLUENE											
2,6-DINITROTOLUENE											
1,2-DIPHENYLHYDRAZINE											

Boston Water & Sewer STP

VA0065358

Form Approved 1/14/99 OMB Number 2040-0086

Outfall number:		olete onc									
POLLUTANT	1		UM DAIL' HARGE	.Υ	A\	VERAGE	E DAILY	DISCH	ĀRGE	_	,
	Conc.		Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
FLUORANTHENE											
FLUORENE											
HEXACHLOROBENZENE											
HEXACHLOROBUTADIENE											
HEXACHLOROCYCLO- PENTADIENE											
HEXACHLOROETHANE											
INDENO(1,2,3-CD)PYRENE											
ISOPHORONE											
NAPHTHALENE											
NITROBENZENE											
N-NITROSODI-N-PROPYLAMINE											
N-NITROSODI- METHYLAMINE											
N-NITROSODI-PHENYLAMINE										***	
PHENANTHRENE											
PYRENE											
1,2,4-TRICHLOROBENZENE											
Use this space (or a separate sheet) to	provide inf	formation	1 on other	base-neu	itral compr	ounds rec	juested b	y the per	mit writer.		
		لي		لـــــا							
Use this space (or a separate sheet) to	provide inf	ormation	on other	pollutants	e.g., pes) د	sticides) r	equested	by the pr	ermit writer.		
	[\bar{i} 1		<u> </u>			,	$\overline{}$	1		

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

Boston Water & Sewer STP

VA0065358

Form Approved 1/14/99 OMB Number 2040-0086

SUPPLEMENTAL APPLICATION INFORMATION

PART E. TOXICITY TESTING DATA

POTWs meeting one or more of the following criteria must provide the results of whole effluent toxicity tests for acute or chronic toxicity for each of the facility's discharge points: 1) POTWs with a design flow rate greater than or equal to 1.0 mgd; 2) POTWs with a pretreatment program (or those that are required to have one under 40 CFR Part 403); or 3) POTWs required by the permitting authority to submit data for these parameters.

- At a minimum, these results must include quarterly testing for a 12-month period within the past 1 year using multiple species (minimum of two species), or the results from four tests performed at least annually in the four and one-half years prior to the application, provided the results show no appreciable toxicity, and testing for acute and/or chronic toxicity, depending on the range of receiving water dilution. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136.
- In addition, submit the results of any other whole effluent toxicity tests from the past four and one-half years. If a whole effluent toxicity
 test conducted during the past four and one-half years revealed toxicity, provide any information on the cause of the toxicity or any results
 of a toxicity reduction evaluation, if one was conducted.
- If you have already submitted any of the information requested in Part E, you need not submit it again. Rather, provide the information requested in question E.4 for previously submitted information. If EPA methods were not used, report the reasons for using alternate methods. If test summaries are available that contain all of the information requested below, they may be submitted in place of Part E. If no biomonitoring data is required, do not complete Part E. Refer to the Application Overview for directions on which other sections of the form to

complete.						
E.1. Required Tests.						
Indicate the number of whole effluer ✓ chronicacute	nt toxicity tests conducted in the past	four and one-half years.				
E.2. Individual Test Data. Complete the	e following chart <u>for each whole efflu</u>	ent toxicity test conducted in the last f	our and one-half years. Allow one			
column per test (where each specie	s constitutes a test). Copy this page Test number:1	if more than three tests are being rep Test number: 2	Test number: 3			
Total information	TOOL TIGHTSON	Test (lumber,	rest number.			
a. Test information.						
Test species & test method number	C.dubia #1002.0	P. promelas #1000.0	C.dubia #1002.0			
Age at initiation of test	1 day	1 day	1 day			
Outfall number	001	001	001			
Dates sample collected	March 18, 19, 12, 2013	March 18, 19, 12, 2013	November 12, 13, 15, 2012			
Date test started	March 19, 2013	March 19, 2013	November 13, 2012			
Duration	7 days	7 days	7 days			
b. Give toxicity test methods follow	ed.					
Manual title	EPA-821-R-02-013	EPA-821-R-02-013	EPA-821-R-02-013			
Edition number and year of publication	4th ed. October 2002	4th ed. October 2002	4th ed. October 2002			
Page number(s)	pp 141-196	pp 53-111	PP 141-196			
c. Give the sample collection metho	od(s) used. For multiple grab sample	es, indicate the number of grab sample	es used.			
24-Hour composite						
Grab	3	3	3			
d. Indicate where the sample was t	d. Indicate where the sample was taken in relation to disinfection. (Check all that apply for each)					
Before disinfection		,				
After disinfection	х	х	X			
After dechlorination						

Boston Water & Sewer STP

VA0065358

	Test number: 1	Test number: 2	Test number: 3		
e. Describe the point in the treatment process at which the sample was collected.					
Sample was collected:	Final Effluent	Final Effluent	Final Effluent		
f. For each test, include whether the	e test was intended to assess chronic	c toxicity, acute toxicity, or both.			
Chronic toxicity	x	x	х		
Acute toxicity					
g. Provide the type of test performe	d.				
Static					
Static-renewal	x	х	x		
Flow-through					
h. Source of dilution water. If labora	atory water, specify type; if receiving	water, specify source.			
Laboratory water	x	х	×		
Receiving water					
i. Type of dilution water. It salt water	er, specify "natural" or type of artificia	ıl sea salts or brine used.			
Fresh water	x	x	x		
Salt water					
	for all concentrations in the test seri	ies.			
	9, 18, 35, 69, 100	9, 18, 35, 69, 100	9, 18, 35, 69, 100		
k. Parameters measured during the	test. (State whether parameter mee	ts test method specifications)	•		
рН	Yes	Yes	Yes		
Salinity			•		
Temperature	Yes	Yes	Yes		
Ammonia					
Dissolved oxygen	Yes	Yes	Yes		
I. Test Results.					
Acute:	·				
Percent survival in 100% effluent	%	%	%		
LC ₅₀					
95% C.I.	%	%	%		
Control percent survival	%	%	%		
Other (describe)					

FACILITY NAME AND PERMIT NUMBER: Form Approved 1/14/99 OMB Number 2040-0086 Boston Water & Sewer STP VA0065358 Chronic: NOEC 100(S)-100(R) % 100(S)-100(B) % 100(S)-18(R) % IC₂₅ >100(R) % >100(B) % 13.9(R) % Control percent survival 100 % 100 % 100 % Other (describe) m. Quality Control/Quality Assurance. Is reference toxicant data available? Yes Yes Yes Was reference toxicant test within Yes Yes acceptable bounds? What date was reference toxicant test 03/19/2013 03/19/2013 11/13/2012 run (MM/DD/YYYY)? Other (describe) E.3. Toxicity Reduction Evaluation. Is the treatment works involved in a Toxicity Reduction Evaluation? Yes ✔ No If yes, describe: E.4. Summary of Submitted Biomonitoring Test Information. If you have submitted biomonitoring test information, or information regarding the cause of toxicity, within the past four and one-half years, provide the dates the information was submitted to the permitting authority and a summary of the results. Date submitted: (MM/DD/YYYY) Summary of results: (see instructions) END OF PART E.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM

2A YOU MUST COMPLETE.

Boston Water & Sewer STP

VA0065358

Form Approved 1/14/99 OMB Number 2040-0086

SUPPLEMENTAL APPLICATION INFORMATION

PART E. TOXICITY TESTING DATA

POTWs meeting one or more of the following criteria must provide the results of whole effluent toxicity tests for acute or chronic toxicity for each of the facility's discharge points: 1) POTWs with a design flow rate greater than or equal to 1.0 mgd; 2) POTWs with a pretreatment program (or those that are required to have one under 40 CFR Part 403); or 3) POTWs required by the permitting authority to submit data for these parameters.

- At a minimum, these results must include quarterly testing for a 12-month period within the past 1 year using multiple species (minimum of two species), or the results from four tests performed at least annually in the four and one-half years prior to the application, provided the results show no appreciable toxicity, and testing for acute and/or chronic toxicity, depending on the range of receiving water dilution. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136.
- In addition, submit the results of any other whole effluent toxicity tests from the past four and one-half years. If a whole effluent toxicity test conducted during the past four and one-half years revealed toxicity, provide any information on the cause of the toxicity or any results of a toxicity reduction evaluation, if one was conducted.
- If you have already submitted any of the information requested in Part E, you need not submit it again. Rather, provide the information requested in question E.4 for previously submitted information. If EPA methods were not used, report the reasons for using alternate

methods. If test summaries are available that contain all of the information requested below, they may be submitted in place of Part E. If no biomonitoring data is required, do not complete Part E. Refer to the Application Overview for directions on which other sections of the form to complete. E.1. Required Tests. Indicate the number of whole effluent toxicity tests conducted in the past four and one-half years. E.2. Individual Test Data. Complete the following chart for each whole effluent toxicity test conducted in the last four and one-half years. Allow one column per test (where each species constitutes a test). Copy this page if more than three tests are being reported. Test number: 4 Test number: Test number: a. Test information. C.dubia #1002.0 P. promelas #1000.0 P. promelas #1000.0 Test species & test method number 1 day 1 day Age at initiation of test 1 day Outfall number 001 001 001 Dates sample collected November 12, 13, 15, 2012 September 24, 25, 27, 2012 September 24, 25, 27, 2012 Date test started November 13, 2012 September 25, 2012 September 25, 2012 7 days Duration 7 days 7 days b. Give toxicity test methods followed. Manual title EPA-821-R-02-013 EPA-821-R-02-013 EPA-821-R-02-013 4th ed. October 2002 4th ed. October 2002 4th ed. October 2002 Edition number and year of publication Page number(s) pp 53-111 pp 141-196 pp 53-111 c. Give the sample collection method(s) used. For multiple grab samples, indicate the number of grab samples used. 24-Hour composite Grab 3 3 d. Indicate where the sample was taken in relation to disinfection. (Check all that apply for each) Before disinfection Х Х After disinfection After dechlorination

Boston Water & Sewer STP

VA0065358

·	Test number: 4	Test number: 5	Test number: 6				
e. Describe the point in the treatme	nt process at which the sample was	collected.					
Sample was collected:	Final Effluent	Final Effluent	Final Effluent				
f. For each test, include whether the test was intended to assess chronic toxicity, acute toxicity, or both.							
Chronic toxicity	х	х	x				
Acute toxicity							
g. Provide the type of test performe	d.						
Static							
Static-renewal	х	x	х				
Flow-through							
h. Source of dilution water. If labora	atory water, specify type; if receiving	water, specify source.					
Laboratory water	x	х	х				
Receiving water							
i. Type of dilution water. It salt water	er, specify "natural" or type of artificia	al sea salts or brine used.					
Fresh water	x	x	x				
Salt water							
j. Give the percentage effluent used	for all concentrations in the test ser	ies.					
	9, 18, 35, 69, 100	9, 18, 35, 69, 100	9, 18, 35, 69, 100				
	test. (State whether parameter mee	ets test method specifications)					
рН	Yes	Yes	Yes				
Salinity							
Temperature	Yes	Yes	Yes				
Ammonia							
Dissolved oxygen	Yes	Yes	Yes				
I. Test Results.							
Acute:							
Percent survival in 100% effluent	%	%	%				
LC₅₀							
95% C.I.	%	%	%				
Control percent survival	%	%	%				
Other (describe)							

FACILITY NAME AND PERMIT NUMBER: Form Approved 1/14/99 OMB Number 2040-0086 Boston Water & Sewer STP VA0065358 Chronic: NOEC 100(S)-100(B) % 100(S)-100(R) % 100(S)-100(B) % IC_{25} >100(B) % >100(R) % >100(B) % Control percent survival 100 % 100 % 95 % Other (describe) m. Quality Control/Quality Assurance. Yes Is reference toxicant data available? Yes Yes Was reference toxicant test within Yes Yes Nο acceptable bounds? What date was reference toxicant test 09/25/2012 11/13/2012 09/25/2012 run (MM/DD/YYYY)? Other (describe) E.3. Toxicity Reduction Evaluation. Is the treatment works involved in a Toxicity Reduction Evaluation? __Yes_✓ No If yes, describe: E.4. Summary of Submitted Biomonitoring Test Information. If you have submitted biomonitoring test information, or information regarding the cause of toxicity, within the past four and one-half years, provide the dates the information was submitted to the permitting authority and a summary of the results. _____ (MM/DD/YYYY) Date submitted: Summary of results: (see instructions) END OF PART E. REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM

2A YOU MUST COMPLETE.

Boston Water & Sewer STP

VA0065358

Form Approved 1/14/99 OMB Number 2040-0086

SUPPLEMENTAL APPLICATION INFORMATION

PART E. TOXICITY TESTING DATA

POTWs meeting one or more of the following criteria must provide the results of whole effluent toxicity tests for acute or chronic toxicity for each of the facility's discharge points: 1) POTWs with a design flow rate greater than or equal to 1.0 mgd; 2) POTWs with a pretreatment program (or those that are required to have one under 40 CFR Part 403); or 3) POTWs required by the permitting authority to submit data for these parameters.

- At a minimum, these results must include quarterly testing for a 12-month period within the past 1 year using multiple species (minimum of two species), or the results from four tests performed at least annually in the four and one-half years prior to the application, provided the results show no appreciable toxicity, and testing for acute and/or chronic toxicity, depending on the range of receiving water dilution. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136.
- In addition, submit the results of any other whole effluent toxicity tests from the past four and one-half years. If a whole effluent toxicity test conducted during the past four and one-half years revealed toxicity, provide any information on the cause of the toxicity or any results of a toxicity reduction evaluation, if one was conducted.
- If you have already submitted any of the information requested in Part E, you need not submit it again. Rather, provide the information

	are available that contain all of the	e information requested below, they Application Overview for directions of	may be submitted in place of Part E.
E.1. Required Tests.	,		
Indicate the number of whole efflue	nt toxicity tests conducted in the	past four and one-half years.	
✓_chronicacut	• •	•	
E.2. Individual Test Data. Complete the column per test (where each specie	e following chart <u>for each whole</u> es constitutes a test). Copy this r	effluent toxicity test conducted in the page if more than three tests are bein	last four and one-half years. Allow one
	Test number: 7	₹	Test number: 9
a. Test information.			
Test species & test method number	C.dubia #1002.0	P. promelas #1000.0	C.dubia #1002.0
Age at initiation of test	1 day	1 day	1 day
Outfall number	001	001	001
Dates sample collected	June 25, 26, 28, 2012	June 25, 26, 28, 2012	March 19, 20, 22, 2012
Date test started	June 26, 2012	June 26, 2012	March 20, 2012
Duration	7 days	7 days	7 days
b. Give toxicity test methods follow	ved.		
Manual title	EPA-821-R-02-013	EPA-821-R-02-013	EPA-821-R-02-013
Edition number and year of publication	4th ed. October 2002	4th ed. October 2002	4th ed. October 2002
Page number(s)	pp 141-196	pp 53-111	pp 141-196
c. Give the sample collection meth	od(s) used. For multiple grab sa	imples, indicate the number of grab s	samples used.
24-Hour composite			
Grab	3	3	3
d. Indicate where the sample was	taken in relation to disinfection. (Check all that apply for each)	
Before disinfection			
After disinfection	x	Х	х
After dechlorination			

FACILITY NAME AND PERMIT NUMBER: Boston Water & Sewer STP VA0065358

	Test number: 7	Test number: 8	Test number: 9		
e. Describe the point in the treatment process at which the sample was collected.					
Sample was collected:	Final Effluent	Final Effluent	Final Effluent		
f. For each test, include whether the	e test was intended to assess chronic	c toxicity, acute toxicity, or both.			
Chronic toxicity	х	х	x		
Acute toxicity					
g. Provide the type of test performe	d.				
Static					
Static-renewal	х	x	x		
Flow-through		-			
h. Source of dilution water. If labor	atory water, specify type; if receiving	water, specify source.			
Laboratory water	x	х	x		
Receiving water					
i. Type of dilution water. It salt water	er, specify "natural" or type of artificia	al sea salts or brine used.			
Fresh water	х	x	х		
Salt water					
	for all concentrations in the test ser	ies.			
	9, 18, 35, 69, 100	9, 18, 35, 69, 100	9, 18, 35, 69, 100		
k. Parameters measured during the	test. (State whether parameter mee	ets test method specifications)			
рН	Yes	Yes	Yes		
Salinity					
Temperature	Yes	Yes	Yes		
Ammonia					
Dissolved oxygen	Yes	Yes	Yes		
I. Test Results.					
Acute:					
Percent survival in 100% effluent	%	%	%		
LC ₅₀					
95% C.1.	%	%	%		
Control percent survival	%	%	%		
Other (describe)					

FACILITY NAME AND PERMIT NUMBE Boston Water & Sewer STP	R: VA0065358		Form Approved 1/14/99 OMB Number 2040-0086		
Chronic:					
NOEC	100(S)-<9(R) %	100(S)-100(B)	% 100(S)-100(R) %		
IC ₂₅	3.86(R) %	>100(B)	% >100(R) %		
Control percent survival	90 %	100	% 100 %		
Other (describe)					
m. Quality Control/Quality Assurar	nce.				
Is reference toxicant data available?	Yes	Yes	Yes		
Was reference toxicant test within acceptable bounds?	No	Yes	Yes		
What date was reference toxicant test run (MM/DD/YYYY)?	06/26/2012	06/26/2012	10/02/2006		
Other (describe)					
E.3. Toxicity Reduction Evaluation. Is the treatment works involved in a Toxicity Reduction Evaluation? Yes No If yes, describe: E.4. Summary of Submitted Biomonitoring Test Information. If you have submitted biomonitoring test information, or information regarding the cause of toxicity, within the past four and one-half years, provide the dates the information was submitted to the permitting authority and a summary of the results. Date submitted: (MM/DD/YYYY) Summary of results: (see instructions)					
	END OF P	ART E.			

END OF PART E.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM

2A YOU MUST COMPLETE.

Boston Water & Sewer STP

VA0065358

Form Approved 1/14/99 OMB Number 2040-0086

SUPPLEMENTAL APPLICATION INFORMATION

PART E. TOXICITY TESTING DATA

POTWs meeting one or more of the following criteria must provide the results of whole effluent toxicity tests for acute or chronic toxicity for each of the facility's discharge points: 1) POTWs with a design flow rate greater than or equal to 1.0 mgd; 2) POTWs with a pretreatment program (or those that are required to have one under 40 CFR Part 403); or 3) POTWs required by the permitting authority to submit data for these parameters.

- At a minimum, these results must include quarterly testing for a 12-month period within the past 1 year using multiple species (minimum of two species), or the results from four tests performed at least annually in the four and one-half years prior to the application, provided the results show no appreciable toxicity, and testing for acute and/or chronic toxicity, depending on the range of receiving water dilution. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136.
- In addition, submit the results of any other whole effluent toxicity tests from the past four and one-half years. If a whole effluent toxicity test conducted during the past four and one-half years revealed toxicity, provide any information on the cause of the toxicity or any results of a toxicity reduction evaluation, if one was conducted.
- If you have already submitted any of the information requested in Part E, you need not submit it again. Rather, provide the information requested in question E.4 for previously submitted information. If EPA methods were not used, report the reasons for using alternate

	re available that contain all of the info	ormation requested below, they may be lication Overview for directions on which	e submitted in place of Part E.		
E.1. Required Tests.		· · · · · · · · · · · · · · · · · · ·			
Indicate the number of whole effluen ✓ chronic acute	it toxicity tests conducted in the past	four and one-half years.			
E.2. Individual Test Data. Complete the following chart for each whole effluent toxicity test conducted in the last four and one-half years. Allow one					
column per test (where each species	s constitutes a test). Copy this page Test number: 10	if more than three tests are being reported to the following report to the fol	orted. Test number:12		
a. Test information.			- Cock Hambork		
			<u> </u>		
Test species & test method number	P. promelas #1000.0	C.dubia #1002.0	P. promelas #1000.0		
Age at initiation of test	1 day	1 day	1 day		
Outfall number	001	001	001		
Dates sample collected	March 19, 20, 22, 2012	11/28 & 29/2011 & 12/1/2011	11/28 & 29/2011 & 12/1/2011		
Date test started	March 20, 2012	November 29, 2011	November 29, 2011		
Duration	7 days	7 days	7 days		
b. Give toxicity test methods followe	ed.				
Manual title	EPA-821-R-02-013	EPA-821-R-02-013	EPA-821-R-02-013		
Edition number and year of publication	4th ed. October 2002	4th ed. October 2002	4th ed. October 2002		
Page number(s)	pp 53-111	pp 141-196	pp 53-111		
c. Give the sample collection metho	od(s) used. For multiple grab sample	es, indicate the number of grab sample	s used.		
24-Hour composite					
Grab	3	3	3		
d. Indicate where the sample was taken in relation to disinfection. (Check all that apply for each)					
Before disinfection					
After disinfection	х	x	х		
After dechlorination					

Boston Water & Sewer STP

VA0065358

	Test number: 10	Test number: 11	Test number: 12		
e. Describe the point in the treatment process at which the sample was collected.					
Sample was collected:	Final Effluent	Final Effluent	Final Effluent		
f. For each test, include whether the	e test was intended to assess chronic	c toxicity, acute toxicity, or both.			
Chronic toxicity	х	х	x		
Acute toxicity					
g. Provide the type of test performe	d.				
Static					
Static-renewal	x	x	x		
Flow-through					
h. Source of dilution water. If labora	atory water, specify type; if receiving	water, specify source.			
Laboratory water	х	х	x		
Receiving water					
i. Type of dilution water. It salt water	er, specify "natural" or type of artificia	al sea salts or brine used.			
Fresh water	x	х	х		
Salt water					
j. Give the percentage effluent used	for all concentrations in the test ser	ies.			
	9, 18, 35, 69, 100	9, 18, 35, 69, 100	9, 18, 35, 69, 100		
***	test. (State whether parameter mee	ets test method specifications)			
pH	Yes	Yes	Yes		
Salinity					
Temperature	Yes	Yes	Yes		
Ammonia		·			
Dissolved oxygen	Yes	Yes	Yes		
I. Test Results.					
Acute:					
Percent survival in 100% effluent	%	%	%		
LC ₅₀					
95% C.I.	%	%	%		
Control percent survival	%	%	%		
Other (describe)					

FACILITY NAME AND PERMIT NUMBER: Boston Water & Sewer STP VA0065358			Form Approved 1/14/99 OMB Number 2040-0086
Chronic:			
NOEC	100(S)-100(B) %	100(S)-69(R)	% 100(S)-100(B) %
IC ₂₆	>100(B) %	80.7(R)	% >100(B) %
Control percent survival	100 %	100	% 198 %
Other (describe)			
m. Quality Control/Quality Assura	nce.		
Is reference toxicant data available?	Yes	Yes	Yes
Was reference toxicant test within acceptable bounds?	Yes	No	Yes
What date was reference toxicant test run (MM/DD/YYYY)?	03/20/2012	11/29/2011	11/29/2011
Other (describe)			
E.4. Summary of Submitted Blomonit cause of toxicity, within the past fo summary of the results.	oring Test Information. If you have ur and one-half years, provide the da	submitted biomonitoring test inforr	nation, or information regarding the
REFER TO THE APPLICA	END OF P		HER PARTS OF FORM

2A YOU MUST COMPLETE.

Boston Water & Sewer STP

VA0065358

Form Approved 1/14/99 OMB Number 2040-0086

SUPPLEMENTAL APPLICATION INFORMATION

PART E. TOXICITY TESTING DATA

POTWs meeting one or more of the following criteria must provide the results of whole effluent toxicity tests for acute or chronic toxicity for each of the facility's discharge points: 1) POTWs with a design flow rate greater than or equal to 1.0 mgd. 2) POTWs with a pretreatment program (or those that are required to have one under 40 CFR Part 403); or 3) POTWs required by the permitting authority to submit data for these parameters.

- At a minimum, these results must include quarterly testing for a 12-month period within the past 1/year using multiple species (minimum of two species), or the results from four tests performed at least annually in the four and one-half years prior to the application, provided the results show no appreciable toxicity, and testing for acute and/or chronic toxicity, depending on the range of receiving water dilution. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136.
- In addition, submit the results of any other whole effluent toxicity tests from the past four and one-half years. If a whole effluent toxicity test conducted during the past four and one-half years revealed toxicity, provide any information on the cause of the toxicity or any results of a toxicity reduction evaluation, if one was conducted.

requested in guestion E 4 for methods. If test summaries, If no biomonitoring data is required, do n	previously submitted information If ire available that contain all of the in	EPA methods were not used, report formation requested below, they may plication Overview for directions on w	the reasons for using alternate be submitted in place of Part E.
E.1. Required Tests.			
<u></u> _chronicacute		·	
E.2. Individual Test Data. Complete the column per test (where each species		uent toxicity test conducted in the last e if more than three tests are being re	
	Test number: 13	Test number: 14	Test number: 15
a. Test information.			
Test species & test method number	C.dubia #1002.0	P. promelas #1000.0	C.dubia #1002.0
Age at initiation of test	1 day	1 day	1 day
Outfall number	001	001	001
Dates sample collected	September 26, 27, 29, 2011	September 26, 27, 29, 2011	May 16, 17, 19, 2011
Date test started	September 27, 2011	September 27, 2011	May 17, 2011
Duration	7 days	7 days	7 days
b. Give toxicity test methods follow	ed.		
Manual title	EPA-821-R-02-013	EPA-821-R-02-013	EPA-821-R-02-013
Edition number and year of publication	4th ed. October 2002	4th ed. October 2002	4th ed. October 2002
Page number(s)	pp 141-196	pp 53-111	pp 141-196
c. Give the sample collection meth	od(s) used. For multiple grab sampl	es, indicate the number of grab samp	les used.
24-Hour composite			
Grab .	3	3	3
d. Indicate where the sample was	aken in relation to disinfection. (Che	ck all that apply for each)	
Before disinfection			
After disinfection	х	x	x
After dechlorination			

Boston Water & Sewer STP

VA0065358

	· · · · · · · · · · · · · · · ·		
	Test number: 13	Test number: 14	Test number: 15
e. Describe the point in the treatme	nt process at which the sample was	collected.	
Sample was collected:	Final Effluent	Final Effluent	Final Effluent
f. For each test, include whether the	e test was intended to assess chroni	c toxicity, acute toxicity, or both.	
Chronic toxicity	х	x	x
Acute toxicity			
g. Provide the type of test performe	d.		
Static			
Static-renewal	x	x	х
Flow-through			
h. Source of dilution water. If labora	atory water, specify type; if receiving	water, specify source.	
Laboratory water	x	x	x
Receiving water			
i. Type of dilution water. It salt water	er, specify "natural" or type of artificia	al sea saits or brine used.	
Fresh water	x	х	х
Salt water			
j. Give the percentage effluent used	for all concentrations in the test ser	ies.	
	9, 18, 35, 69, 100	9, 18, 35, 69, 100	9, 18, 35, 69, 100
	test. (State whether parameter mee	ets test method specifications)	·
рН	Yes	Yes	Yes
Salinity			
Temperature	Yes	Yes	Yes
Ammonia			
Dissolved oxygen	Yes	Yes	Yes
I. Test Results.			
Acute:			
Percent survival in 100% effluent	%	%	%
LC ₅₀			
95% C.I.	%	%	%
Control percent survival	%	%	%
Other (describe)			

FACILITY NAME AND PERMIT NUMBER Boston Water & Sewer STP	R: VA0065358		Form Approved 1/14/99 OMB Number 2040-0086
Chronic:			
NOEC	100(S)-35(R) %	100(S)-100(B)	% 100(S)-69(R) %
IC ₂₅	61.1(R) %	>100(B)	% 61.5R) %
Control percent survival	100 %	98	% 100 %
Other (describe)			
m. Quality Control/Quality Assura	nce.		
Is reference toxicant data available?	Yes	Yes	Yes
Was reference toxicant test within acceptable bounds?	No	Yes	No
What date was reference toxicant test run (MM/DD/YYYY)?	09/27/2011	09/27/2011	05/17/2011
Other (describe)			
E.4. Summary of Submitted Biomonito cause of toxicity, within the past for summary of the results.	, describe: pring Test Information. If you have ur and one-half years, provide the da (MM/DD/YYYY)	submitted biomonitoring test inform	nation, or information regarding the o the permitting authority and a
	END OF P	ART E.	

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE.

EPA Form 3510-2A (Rev. 1-99). Replaces EPA forms 7550-6 & 7550-22.

Boston Water & Sewer STP

VA0065358

Form Approved 1/14/99 OMB Number 2040-0086

SUPPLEMENTAL APPLICATION INFORMATION

PART E. TOXICITY TESTING DATA

POTWs meeting one or more of the following criteria must provide the results of whole effluent toxicity tests for acute or chronic toxicity for each of the facility's discharge points: 1) POTWs with a design flow rate greater than or equal to 1.0 mgg; 2) POTWs with a pretreatment program (or those that are required to have one under 40 CFR Part 403); or 3) POTWs required by the permitting authority to submit data for these parameters.

• At a minimum, these results must include quarterly testing for a 12-month period within the past 1 year using multiple species (minimum of two species), or the results from four tests performed at least annually in the four and one-half years prior to the application, provided the results show no appreciable toxicity, and testing for acute and/or chronic toxicity, depending on the range of receiving water dilution. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136.

 and other appropriate QA/QC In addition, submit the results test conducted during the pass of a toxicity reduction evaluation. If you have already submitted requested in question E.4 for methods. If test summaries a lf no biomonitoring data is required, do not support the properties of the proper	requirements for standard methods of any other whole effluent toxicity to the four and one-half years revealed to on, if one was conducted, any of the information requested in previously submitted information. If ire available that contain all of the information all of the information all of the information.	for analytes not addressed by 40 CFR ests from the past four and one-half yexicity, provide any information on the content of the content of the following provides and the content of the	Part 136. ars. If a whole effluent toxicity cause of the toxicity or any results Rather, provide the information e reasons for using alternate e submitted in place of Part E.	
E.1. Required Tests.				
Indicate the number of whole effluent toxicity tests conducted in the past four and one-half years. chronicacute E.2. Individual Test Data. Complete the following chart for each whole effluent toxicity test conducted in the last four and one-half years. Allow one				
column per test (where each specie	column per test (where each species constitutes a test). Copy this page if more than three tests are being reported. Test number: 16 Test number: 17 Test number: 18			
a. Test information.		10. 20.0		
Test species & test method number	P. promelas #1000.0	C.dubia #1002.0	P. promelas #1000.0	
Age at initiation of test	1 day	1 day	1 day	
Outfall number	001	001	001	
Dates sample collected	May 16, 17, 19, 2011	February 7, 8, 10, 2011	February 7, 8, 10, 2011	
Date test started	May 17, 2011	February 8, 2011	February 8, 2011	
Duration	7 days	7 days	7 days	
b. Give toxicity test methods followed.				
Manual title	EPA-821-R-02-013	EPA-821-R-02-013	EPA-821-R-02-013	
Edition number and year of publication	4th ed. October 2002	4th ed. October 2002	4th ed. October 2002	
Page number(s)	pp 53-111	pp 141-196	pp 53-111	
c. Give the sample collection method(s) used. For multiple grab samples, indicate the number of grab samples used.				
24-Hour composite				
Grab	3	3	3	
d. Indicate where the sample was taken in relation to disinfection. (Check all that apply for each)				
Before disinfection				
After disinfection	х	х	Х	
After dechlorination				

Boston Water & Sewer STP

VA0065358

	Test number: 16	Test number: 17	Test number: 18
e. Describe the point in the treatme	nt process at which the sample was	collected.	
Sample was collected:	Final Effluent	Final Effluent	Final Effluent
f. For each test, include whether the	e test was intended to assess chronic	c toxicity, acute toxicity, or both.	`
Chronic toxicity	x	X	x
Acute toxicity			
g. Provide the type of test performe	d.		
Static			·
Static-renewal	х	x	x
Flow-through			
h. Source of dilution water. If labora	atory water, specify type; if receiving	water, specify source.	
Laboratory water	х	X	х
Receiving water			
i. Type of dilution water. It salt water	er, specify "natural" or type of artificia	l sea salts or brine used.	
Fresh water	X	X	Х
Salt water			
j. Give the percentage effluent used	for all concentrations in the test seri	es.	
	9, 18, 35, 69, 100	9, 18, 35, 69, 100	9, 18, 35, 69, 100
k. Parameters measured during the	test. (State whether parameter mee	ts test method specifications)	
На	Yes	Yes	Yes
Salinity			
Temperature	Yes	Yes	Yes
Ammonia			
Dissolved oxygen	Yes	Yes	Yes
I. Test Results.			
Acute:			
Percent survival in 100% effluent	%	%	%
LC ₅₀			
95% C.I.	%	%	%
Control percent survival	%	%	%
Other (describe)			

FACILITY NAME AND PERMIT NUMBE Boston Water & Sewer STP	R: VA0065358		Form Approved 1/14/99 OMB Number 2040-0086
Chronic:	-		
NOEC	100(S)-100(B) %	100(S)-100(R)	% 18(S)-18(B) %
IC ₂₅	>100(B) %	>100(R)	% 32.3(B) %
Control percent survival	100 %	98	% 98 %
Other (describe)			
m. Quality Control/Quality Assurar	nce.		
Is reference toxicant data available?	Yes	Yes	Yes
Was reference toxicant test within acceptable bounds?	Yes	Yes	No
What date was reference toxicant test run (MM/DD/YYYY)?	05/17/2011	02/08/2011	02/08/2011
Other (describe)			
E.4. Summary of Submitted Biomonito	describe:	submitted biomonitoring test infor	nation, or information regarding the o the permitting authority and a
Date submitted: Summary of results: (see instructio			
***************************************	END OF PA	ART E.	

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE.

Boston Water & Sewer STP

VA0065358

Form Approved 1/14/99 OMB Number 2040-0086

SUPPLEMENTAL APPLICATION INFORMATION

PART F. INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES
All treatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes must complete Part F.
GENERAL INFORMATION:
F.1. Pretreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program?
YesNo
F.2. Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following type of industrial users that discharge to the treatment works.
a. Number of non-categorical SIUs.
b. Number of CiUs.
CICALIFICANT INDUCTRIAL LIGER INFORMATION
SIGNIFICANT INDUSTRIAL USER INFORMATION:
Supply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 and provide the information requested for each SIU.
F.3. Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
Name:
Mailing Address:
F.4. Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
F.5. Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
Principal product(s):
Raw material(s):
F.6. Flow Rate.
a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
gpd (continuous orintermittent)
 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
gpd (continuous orintermittent)
F.7. Pretreatment Standards. Indicate whether the SIU is subject to the following:
a. Local limitsYesNo
b. Categorical pretreatment standardsYesNo
If subject to categorical pretreatment standards, which category and subcategory?

FACILITY NAME AND PERMIT NUMBER: Form Approved 1/1-					
Boston Water & Sewer STP VA0065358	OMB Number 2040-0086				
F.8. Problems at the Treatment Works Attributed to Waste Discupsets, interference) at the treatment works in the past three y	harged by the SIU. Has the SIU caused or contributed to any problems (e.g., ears?				
YesNo If yes, describe each episode.					
					
RCRA HAZARDOUS WASTE RECEIVED BY TRUCK, RAII	, OR DEDICATED PIPELINE:				
F.9. RCRA Waste. Does the treatment works receive or has it in the pipe?YesNo (go to F.12.)	e past three years received RCRA hazardous waste by truck, rail, or dedicated				
F.10. Waste Transport. Method by which RCRA waste is received	(check all that apply):				
TruckRailDedicated	Pipe				
F.11. Waste Description. Give EPA hazardous waste number and	amount (volume or mass, specify units)				
EPA Hazardous Waste Number Amoun					
	<u> </u>				
CERCLA (SUPERFUND) WASTEWATER, RCRA REMEDIA ACTION WASTEWATER, AND OTHER REMEDIAL ACTIVI					
F.12. Remediation Waste. Does the treatment works currently (or	as it been notified that it will) receive waste from remedial activities?				
Yes (complete F.13 through F.15.)	No				
Provide a list of sites and the requested information (F.13 - F.	5.) for each current and future site.				
	e CERCLA/RCRA/or other remedial waste originates (or is expected to originate				
in the next five years).					
F.14. Pollutants. List the hazardous constituents that are received known. (Attach additional sheets if necessary).	or are expected to be received). Include data on volume and concentration, if				
	· ·				
F.15. Waste Treatment.					
a. Is this waste treated (or will it be treated) prior to entering t	ne treatment works?				
YesNo					
If yes, describe the treatment (provide information about th	e removal efficiency):				
b. Is the discharge (or will the discharge be) continuous or int	ermittent?				
ContinuousIntermittent If i	ntermittent, describe discharge schedule.				
-					
END	OF PART F.				
	TO DETERMINE WHICH OTHER PARTS OF FORM				

2A YOU MUST COMPLETE

FACILITY NAME AND PERMIT NUMBER: Form Approved 1/14/99 OMB Number 2040-0086 Boston Water & Sewer STP VA0065358 SUPPLEMENTAL APPLICATION INFORMATION PART G. COMBINED SEWER SYSTEMS If the treatment works has a combined sewer system, complete Part G. G.1. System Map. Provide a map indicating the following: (may be included with Basic Application Information) a. All CSO discharge points. b. Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish beds, sensitive aquatic ecosystems, and outstanding natural resource waters). Waters that support threatened and endangered species potentially affected by CSOs. G.2. System Diagram. Provide a diagram, either in the map provided in G.1. or on a separate drawing, of the combined sewer collection system that includes the following information: a. Locations of major sewer trunk lines, both combined and separate sanitary. b. Locations of points where separate sanitary sewers feed into the combined sewer system. c. Locations of in-line and off-line storage structures. d. Locations of flow-regulating devices. e. Locations of pump stations. **CSO OUTFALLS:** Complete questions G.3 through G.6 once for each CSO discharge point. G.3. Description of Outfall. a. Outfall number b. Location (City or town, if applicable) (Zip Code) (County) (State) (Latitude) (Longitude) c. Distance from shore (if applicable) ft. d. Depth below surface (if applicable) e. Which of the following were monitored during the last year for this CSO? Rainfall __CSO frequency CSO pollutant concentrations _CSO flow volume _Receiving water quality f. How many storm events were monitored during the last year? G.4. CSO Events.

a. Give the number of CSO events in the last year.

b. Give the average duration per CSO event.

_ events (___ actual or ___ approx.)

hours (____ actual or ____ approx.)

FACILITY NAME AND PERMIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086		
Boston Water & Sewer STP VA0065358			
c. Give the average volume per CSO event.			
million gallons (actual or approx.)			
d. Give the minimum rainfall that caused a CSO event in the last year.			
inches of rainfall			
G.5. Description of Receiving Waters.	· .		
a. Name of receiving water:			
b. Name of watershed/river/stream system:			
United States Soil Conservation Service 14-digit watershed code (if kno	own):		
c. Name of State Management/River Basin:			
United States Geological Survey 8-digit hydrologic cataloging unit code	(if known):		
G.6. CSO Operations.			
Describe any known water quality impacts on the receiving water caused by permanent or intermittent shell fish bed closings, fish kills, fish advisories, of quality standard).	this CSO (e.g., permanent or intermittent beach closings, ther recreational loss, or violation of any applicable State water		
			
END OF PAR			

2A YOU MUST COMPLETE.

VPDES PERMIT NUMBER: VA0065358

VPDES SEWAGE SLUDGE PERMIT APPLICATION FORM

SCREENING INFORMATION

This application is divided into sections. Sections A pertain to all applicants. The applicability of Sections B, C and D depend on your facility's sewage sludge use or disposal practices. The information provided on this page will help you determine which sections to fill out.

uctel III	itic wille	ii sections to fitt out.		
1.	All applicants must complete Section A (General Information).			
2.	Will th	is facility generate sewage sludge? X Yes No Septage is produced in the septic tank		
	Will th	nis facility derive a material from sewage sludge?Yes X_ No		
	-	answered Yes to either, complete Section B (Generation Of Sewage Sludge Or Preparation Of A Material d From Sewage Sludge).		
3.	Will th	is facility apply sewage sludge to the land?Yes X No		
	Will se	ewage sludge from this facility be applied to the land? Yes X No		
	If you	answered No to both questions above, skip Section C.		
	answered Yes to either, answer the following three questions:			
	a.	Will the sewage sludge from this facility meet the ceiling concentrations, pollutant concentrations, Class A pathogen reduction requirements and one of the vector attraction reduction requirements 1-8, as identified in the instructions? YesNo		
	b.	Will sewage sludge from this facility be placed in a bag or other container for sale or give-away for application to the land?YesNo		
	c.	Will sewage sludge from this facility be sent to another facility for treatment or blending?YesNo		
	If you a	answered No to all three, complete Section C (Land Application Of Bulk Sewage Sludge).		
	If you a	answered Yes to a, b or c, skip Section C.		
4.	Do you	own or operate a surface disposal site? Yes X No		
	If Yes,	complete Section D (Surface Disposal).		

VPDES PERMIT NUMBER: VA0029092

SECTION A. GENERAL INFORMATION

All applicants must complete this section.

	cility Information.	
a.	Facility name: Boston Water & Sewer STP	
b.	Contact person: Edward O'Brien	
	Title: President	
	Phone: (202) <u>234-1567</u>	
c.	Mailing address:	
	Street or P.O. Box: 2301 Wyoming Ave., NW	
	City or Town: Washington State: DC Zip: 20008	
d.	Facility location:	
	Street or Route #: 1 mile SSW of intersection of Routes 522 & 707	
	County: Culpeper	
	City or Town: Boston State: VA Zip: 22713	
€.	Is this facility a Class I sludge management facility? Yes X No	
f,	Facility design flow rate: 0.015 mgd	
g.	Total population served:	
ь. h.	Indicate the type of facility:	
11.	Publicly owned treatment works (POTW)	
	X Privately owned treatment works	
	Federally owned treatment works	
	Blending or treatment operation	
	Surface disposal site	
	AUFTACE OISDOSAL SHE	
	Other (describe):	
A ni	Other (describe):	
	Other (describe): plicant Information. If the applicant is different from the above, provide the following:	
a.	Other (describe): plicant Information. If the applicant is different from the above, provide the following: Applicant name: Environmental Systems Service, Ltd	
	Other (describe): plicant Information. If the applicant is different from the above, provide the following: Applicant name: Environmental Systems Service, Ltd Mailing address:	
a.	Other (describe): plicant Information. If the applicant is different from the above, provide the following: Applicant name: Environmental Systems Service, Ltd Mailing address: Street or P.O. Box: 218 North Main Street	
a. b.	Other (describe):	
a.	Other (describe):	
a. b.	Other (describe):	
a. b.	Other (describe):	
a. b. c.	Other (describe):	
a. b.	Other (describe):	
a. b. c.	Other (describe): plicant Information. If the applicant is different from the above, provide the following: Applicant name: Environmental Systems Service, Ltd Mailing address: Street or P.O. Box: 218 North Main Street City or Town: Culpeper State: VA Zip: 22701 Contact person: Donald F. Hearl Title: Vice President Phone: (540) 825-6660 Is the applicant the owner or operator (or both) of this facility? ownerX operator	
a. b. c.	Other (describe):	
a. b. c.	Other (describe): plicant Information. If the applicant is different from the above, provide the following: Applicant name: Environmental Systems Service, Ltd Mailing address: Street or P.O. Box: 218 North Main Street City or Town: Culpeper State: VA Zip: 22701 Contact person: Donald F. Hearl Title: Vice President Phone: (540) 825-6660 Is the applicant the owner or operator (or both) of this facility? ownerX operator	
a. b. c. d.	Other (describe): plicant Information. If the applicant is different from the above, provide the following: Applicant name: Environmental Systems Service, Ltd Mailing address: Street or P.O. Box: 218 North Main Street City or Town: Culpeper State: VA Zip: 22701 Contact person: Donald F. Hearl Title: Vice President Phone: (540) 825-6660 Is the applicant the owner or operator (or both) of this facility? ownerX operator Should correspondence regarding this permit be directed to the facility or the applicant? (Check one) facilityXapplicant	
a. b. c. d.	Other (describe):	
a. b. c. d. e. Per a.	Other (describe):	
a. b. c. d.	Other (describe):	
a. b. c. d. e. Per a.	Other (describe):	
a. b. c. d. e. Per a.	Other (describe):	
a. b. c. d. e. Per a.	Other (describe):	
a. b. c. d. e. Per a.	Other (describe):	
a. b. c. d. e. Per a. b.	Other (describe):	
a. b. c. d. e. Per a. b.	Other (describe):	his

VPDES PERMIT NUMBER: VA0065358

- Topographic Map. Provide a topographic map or maps (or other appropriate maps if a topographic map is unavailable) that shows the following information. Maps should include the area one mile beyond all property boundaries of the facility: Attachment 1
 - a. Location of all sewage sludge management facilities, including locations where sewage sludge is generated, stored, treated, or disposed.
 - b. Location of all wells, springs, and other surface water bodies listed in public records or otherwise known to the applicant within 1/4 mile of the property boundaries. See attachment 1

6.	will be employe treating sewage		mit including a f all liquids and	Il processes used for co solids leaving each un	es all sewage sludge processes that llecting, dewatering, storing, or it, and all methods used for			
7.	generation, treat	Contractor Information. Are any operational or maintenance aspects of this facility related to sewage sludge generation, treatment, use or disposal the responsibility of a contractor?Yes X_ No If yes, provide the following for each contractor (attach additional pages if necessary).						
	Mailing address							
	Street or P.O. B	ox:	9.	. 7'				
	City or Town:	-	Sta	te: Zıp:				
	Contractor's Fed	leral, State or Local Permit	Number(s) appl	icable to this facility's s	sewage sludge:			
		is responsible for the use at the applicant and the response			ovide a description of the service the contractor(s).			
8.	for the pollutant expected use or	s which limits in sewage slu	idge have been must be based	established in 9 VAC 2	sewage sludge monitoring data 25-31-10 et seq. for this facility's es taken at least one month apart			
	POLLUTANT	CONCENTRATION (mg/kg dry weight)	SAMPLE DATE	ANALYTICAL METHOD	DETECTION LEVEL FOR ANALYSIS			
	Arsenic							
	Cadmium							
	Chromium							
	Copper			····				
	Lead							
	Мегсигу							
	Molybdenum							
	Nickel		1	· · · · · ·				
	Selenium							
	Zinc							
9.	to determine who completed and a _XSection ASection B (Section C ()	o is an officer for purposes	of this certificat ge or Preparatio	ion. Indicate which pa	ication. Refer to the instructions rts of the application you have			

VPDES PERMIT NUMBER: YA0065358

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name and official title Edward O'Brien - President					
Signature <u>A</u>	work	go.Bin	_ Date Signed	6/24/13	
Telephone number	202-234	-1567			

Upon request of the department, you must submit any other information necessary to assess sewage sludge use or disposal practices at your facility or identify appropriate permitting requirements.

VPDES PERMIT NUMBER: VA0065358

SECTION B. GENERATION OF SEWAGE SLUDGE OR PREPARATION OF A MATERIAL DERIVED FROM SEWAGE SLUDGE

Complete this section if your facility generates sewage sludge or derives a material from sewage sludge

1.		unt Generated On Site.
	Total	dry metric tons per 365-day period generated at your facility: 0.379 dry metric tons
2.		unt Received from Off Site. If your facility receives sewage sludge from another facility for treatment, use or sal, provide the following information for each facility from which sewage sludge is received. If you receive
		ge sludge from more than one facility, attach additional pages as necessary. N/A
	a.	Facility name:
	b.	Contact Person:
		Title:
		Phone ()
	c.	Mailing address:
		Street or P.O. Box: City or Town: State: Zip:
	d.	Facility Address:
	u.	
	e,	(not P.O. Box) Total dry metric tons per 365-day period received from this facility: dry metric tons
	f.	Describe, on this form or on another sheet of paper, any treatment processes known to occur at the off-site
	1.	facility, including blending activities and treatment to reduce pathogens or vector attraction characteristics:
		facility, including brending activities and deadness to reduce pathogens of vector attraction characteristics.
3.	Treat	ment Provided at Your Facility.
٥.	a.	Which class of pathogen reduction is achieved for the sewage sludge at your facility?
	и.	Class AClass BX Neither or unknown
	b.	Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce
	0.	
		pathogens in sewage sludge: Aerobic Digestion
	c.	Which vector attraction reduction option is met for the sewage sludge at your facility?
	٠.	Option 1 (Minimum 38 percent reduction in volatile solids)
		Option 2 (Anaerobic process, with bench-scale demonstration)
		Option 3 (Aerobic process, with bench-scale demonstration)
		Option 3 (Acrobic process, with bench-scale definition) Option 4 (Specific oxygen uptake rate for aerobically digested sludge)
		Option 5 (Aerobic processes plus raised temperature)
		Option 6 (Raise pH to 12 and retain at 11.5)
		Option 7 (75 percent solids with no unstabilized solids)
		Option 8 (90 percent solids with unstabilized solids)
		X None or unknown
	d.	Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce
		vector attraction properties of sewage sludge: <u>Aerobic Digestion</u>
	e.	Describe, on this form or another sheet of paper, any other sewage sludge treatment activities, including
		blending, not identified in a - d above: N/A
4.	Prepa	ration of Sewage Sludge Meeting Ceiling and Pollutant Concentrations, Class A Pathogen Requirements and
	One o	of Vector Attraction Reduction Options 1-8 (EQ Sludge).
		age sludge from your facility does not meet all of these criteria, skip Question 4.) N/A
	à.	Total dry metric tons per 365-day period of sewage sludge subject to this section that is applied to the land:
		dry metric tons
	b.	Is sewage sludge subject to this section placed in bags or other containers for sale or give-away?

rac	ILIIT	YPUES PERMIT NUMBER: VAU065358 YPUES PERMIT NUMBER: VAU065358
5.	(Comp	or Give-Away in a Bag or Other Container for Application to the Land. plete this question if you place sewage sludge in a bag or other container for sale or give-away prior to land application. Skip this on if sewage sludge is covered in Question 4.) N/A
	a.	Total dry metric tons per 365-day period of sewage sludge placed in a bag or other container at your facility
	b.	for sale or give-away for application to the land: dry metric tons Attach, with this application, a copy of all labels or notices that accompany the sewage sludge being sold or
		given away in a bag or other container for application to the land.
6.	•	ment Off Site for Treatment or Blending.
	not ap	plete this question if sewage sludge from your facility is sent to another facility that provides treatment or blending. This question does ply to sewage sludge sent directly to a land application or surface disposal site. Skip this question if the sewage sludge is covered in ions 4 or 5. If you send sewage sludge to more than one facility, attach additional sheets as necessary.)
	a.	Receiving facility name: Fauguier County Service Authority - Remington WWTP
	b.	Facility contact: Raymond Searls
		Title: Director of Operations
	•	Phone: (540) 439-2225 Mailing address:
	C.	Street or P.O. Box: Fauguier Co., WSA P.O. Box 861646
		City or Town: Warrenton State: VA Zip: 22187
	d.	Total dry metric tons per 365-day period of sewage sludge provided to receiving facility: 0.379 dry metric tons
	e.	List, on this form or an attachment, the receiving facility's VPDES permit number as well as the numbers of all other federal, state or local permits that regulate the receiving facility's sewage sludge use or disposal practices:
		Permit Number: Type of Permit: VA0076805 VPDES
	f.	Does the receiving facility provide additional treatment to reduce pathogens in sewage sludge from your facility? X Yes No
		Which class of pathogen reduction is achieved for the sewage sludge at the receiving facility?
		Class AX Class B Neither or unknown Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to reduce pathogens in sewage sludge: Aerobic Digestion
	g.	Does the receiving facility provide additional treatment to reduce vector attraction characteristics of the
		sewage sludge? X Yes No
		Which vector attraction reduction option is met for the sewage sludge at the receiving facility?
		X Option 1 (Minimum 38 percent reduction in volatile solids)
		Option 2 (Anaerobic process, with bench-scale demonstration) Option 3 (Aerobic process, with bench-scale demonstration)
		Option 3 (Acrostic process, with benefit-scale definition) Option 4 (Specific oxygen uptake rate for aerobically digested sludge)
		Option 5 (Aerobic processes plus raised temperature)
		Option 6 (Raise pH to 12 and retain at 11.5)
		Option 7 (75 percent solids with no unstabilized solids)
		Option 8 (90 percent solids with unstabilized solids) None unknown
		Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to reduce vector attraction properties of sewage sludge: Aerobic Digestion
	h.	Does the receiving facility provide any additional treatment or blending not identified in f or g above?
		Yes X No If yes, describe, on this form or another sheet of paper, the treatment processes not identified in f or g above

If you answered yes to f., g or h above, attach a copy of any information you provide to the receiving facility

i.

to comply with the "notice and necessary information" requirement of 9 VAC 25-31-530.G. See attachment 3

	j	Does the receiving facility place sewage sludge from your facility in a bag or other container for sale or give-away for application to the land?Yes _X No
	k.	If yes, provide a copy of all labels or notices that accompany the product being sold or given away. Will the sewage sludge be transported to the receiving facility in a truck-mounted watertight tank normally used for such purposes? X Yes No. If no, provide description and specification on the vehicle used to transport the sewage sludge to the receiving facility.
		Show the haul route(s) on a location map or briefly describe the haul route below and indicate the days of
		the week and the times of the day sewage sludge will be transported. See attachment 4
7.	Land	Application of Bulk Sewage Sludge. N/A
		olete Question 7.a if sewage sludge from your facility is applied to the land, unless the sewage sludge is covered in Questions 4, 5 or 6; ete Question 7.b, c & d only if you are responsible for land application of sewage sludge.)
	a.	Total dry metric tons per 365-day period of sewage sludge applied to all land application sites:dry metric tons
	b.	Do you identify all land application sites in Section C of this application?YesNo If no, submit a copy of the Land Application Plan (LAP) with this application (LAP should be prepared in accordance with the instructions).
	c.	Are any land application sites located in States other than Virginia?YesNo If yes, describe, on this form or on another sheet of paper, how you notify the permitting authority for the States where the land application sites are located. Provide a copy of the notification.
	d.	Attach a copy of any information you provide to the owner or lease holder of the land application sites to comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).
8.		ce Disposal. N/A slete Question 8 if sewage sludge from your facility is placed on a surface disposal site.)
	a.	Total dry metric tons per 365-day period of sewage sludge from your facility placed on all surface disposal sites: dry metric tons
	b.	Do you own or operate all surface disposal sites to which you send sewage sludge for disposal? YesNo If no, answer questions c - g for each surface disposal site that you do not own or operate. If you send sewage sludge to more than one surface disposal site, attach additional pages as necessary.
	c.	Site name or number:
	d.	Contact person:
		Title: Phone: () Contact is:Site OwnerSite operator
	e.	Mailing address. Street or P.O. Box: City or Town: Zip:
	f.	Total dry metric tons per 365-day period of sewage sludge from your facility placed on this surface disposal site: dry metric tons
	g.	List, on this form or an attachment, the surface disposal site VPDES permit number as well as the numbers of all other federal, state or local permits that regulate the sewage sludge use or disposal practices at the surface disposal site:
-		Permit Number: Type of Permit:
9.	Incin	eration. N/A

VPDES Sewage Sludge Permit Application Form (2000 Rev.)

(Complete Question 9 if sewage sludge from your facility is fired in a sewage sludge incinerator.)

a.	Total dry metric tons per 365-day period of sewage sludge from your facility fired in a sewage sludge incinerator: dry metric tons
b.	incinerator: dry metric tons Do you own or operate all sewage sludge incinerators in which sewage sludge from your facility is fired? YesNo
	If no, answer questions c - g for each sewage sludge incinerator that you do not own or operate. If you send
	sewage sludge to more than one sewage sludge incinerator, attach additional pages as necessary.
c.	Incinerator name or number:
d.	Contact person:
	Title:
	Phone: ()
	Contact is:Incinerator OwnerIncinerator Operator
e.	Mailing address.
	Street or P.O. Box:
	Street or P.O. Box:
f.	Total dry metric tons per 365-day period of sewage sludge from your facility fired in this sewage sludge
	incinerator: dry metric tons
g.	List on this form or an attachment the numbers of all other federal, state or local permits that regulate the
	firing of sewage sludge at this incinerator:
	Permit Number: Type of Permit:
Disp	osal in a Municipal Solid Waste Landfill. N/A
	plete Question 10 if sewage sludge from your facility is placed on a municipal solid waste landfill. Provide the following information for
	municipal solid waste landfill on which sewage słudge from your facility is placed. If sewage sludge is placed on more than one cipal solid waste landfill, attach additional pages as necessary.)
a.	Landfill name:
b.	Contact person:
	Title:
	Phone: ()
	Contact is:Landfill OwnerLandfill Operator
c.	Mailing address.
	Street or P.O. Box:
	City or Town: State: Zip:
d.	Landfill location.
	Street or Route #:
	County: City or Town: State: Zip:
e.	Total dry metric tons per 365-day period of sewage sludge placed in this municipal solid waste landfill:
	dry metric tons
f.	List, on this form or an attachment, the numbers of all federal, state or local permits that regulate the
	operation of this municipal solid waste landfill:
	Permit Number: Type of Permit:
g.	Does sewage sludge meet applicable requirements in the Virginia Solid Waste Management Regulation, 9
	VAC 20-80-10 et seq., concerning the quality of materials disposed in a municipal solid waste landfill?
	VAC 20-00-10 GLSGU. CONCERNING INC QUARTY OF MAJERIAIS UISDOSEU III A MUHICIDAI SONU WASIE TAIRITHE
h.	
	YesNo
	YesNo Does the municipal solid waste landfill comply with all applicable criteria set forth in the Virginia Solid
i	YesNo Does the municipal solid waste landfill comply with all applicable criteria set forth in the Virginia Solid Waste Management Regulation, 9 VAC 20-80-10 et seq.?YesNo
i.	YesNo Does the municipal solid waste landfill comply with all applicable criteria set forth in the Virginia Solid Waste Management Regulation, 9 VAC 20-80-10 et seq.?YesNo Will the vehicle bed or other container used to transport sewage sludge to the municipal solid waste landfill
i.	YesNo Does the municipal solid waste landfill comply with all applicable criteria set forth in the Virginia Solid Waste Management Regulation, 9 VAC 20-80-10 et seq.?YesNo Will the vehicle bed or other container used to transport sewage sludge to the municipal solid waste landfill be watertight and covered?YesNo
i.	YesNo Does the municipal solid waste landfill comply with all applicable criteria set forth in the Virginia Solid Waste Management Regulation, 9 VAC 20-80-10 et seq.?YesNo Will the vehicle bed or other container used to transport sewage sludge to the municipal solid waste landfill be watertight and covered? Yes No Show the haul route(s) on a location map or briefly describe the route below and indicate the days of the
i.	YesNo Does the municipal solid waste landfill comply with all applicable criteria set forth in the Virginia Solid Waste Management Regulation, 9 VAC 20-80-10 et seq.?YesNo Will the vehicle bed or other container used to transport sewage sludge to the municipal solid waste landfill be watertight and covered?YesNo

VPDES PERMIT NUMBER: VA0065358

VPDES PERMIT NUMBER: VA0065358

SECTION C. LAND APPLICATION OF BULK SEWAGE SLUDGE

Complete this section for sewage sludge that is land applied unless any of the following conditions apply: N/A

The sewage sludge meets the Table 1 cciling concentrations, the Table 3 pollutant concentrations, Class A pathogen requirements and one of the vector attraction reduction options 1-8 (fill out B.4 instead) (EQ Sludge); or

The sewage sludge is sold or given away in a bag or other container for application to the land (fill out B.5 instead); or

You provide the sewage sludge to another facility for treatment or blending (fill out B.6 instead). Complete Section C for every site on which the sewage sludge that you reported in B.7 is land applied.

1.	Identi		of Land Application Site.			
	a.	Site na	ame or number:			
	b.	Site lo	ocation (Complete i and ii)			
		i.	Street or Route#:			
			County:			_
			City or Town:	State:	Zip:	
		ii.	Latitude:	Longitude:		
			Method of latitude/longi	tude determination		
			USGS map	Filed survey	Other	
	c.		graphic map. Provide a top ilable) that shows the site le	ographic map (or other approcation.	opriate map if a topo	graphic map is
2.	Owne	r Informa	ation.			
	a.	Are yo	ou the owner of this land ap	pplication site?Yes!	No	
	Ъ.		provide the following infor			
		Name				
		Street	or P.O. Box:			
		City o	r Town:	State:	Zip:	
		Phone	:()	***	, <u></u>	
3.		er Inform				
	a.			or who is responsible for app	olication of, sewage s	ludge to this land
	•		ation site?YesNo			
	b.			mation for the person who a		dge:
		Name				•
		Street	or P.O. Box:			_
				State:	Zip:	_
			:(:
	c.			nt, the numbers of all federa	il, state or local perm	its that regulate the person
			pplies sewage sludge to this			
		Permi	t Number:	Type of Permit:		
		-				
	o					
4.				ation site from among the fo		
	Ag	gricultura.	I landRec	clamation site	Forest	
	Pu	blic conta	act siteOtr	ier. Describe	· · · · · · · · · · · · · · · · · · ·	
5.	Vecto	r Attracti	on Reduction.			
	Are a	ny vector	attraction reduction require	ements met when sewage slu	idge is applied to the	land application site?
	Y	esN	No If yes, answer a and b.	_		
	a.	Indica	te which vector attraction r	eduction option is met:		
			otion 9 (Injection below lan			
			otion 10 (Incorporation into			
	b.			her sheet of paper, any treat	ment processes used :	at the land application site
	-		ace the vector attraction pro		1	
		_				

FACILITY NAME: Boston Water & Sewer STP VPDES PERMIT NUMBER:VA0065358 Cumulative Loadings and Remaining Allotments. (Complete Question 6 only if the sewage sludge applied to this site since July 20, 1993 is subject to the cumulative pollutant loading rates (CPLRs) - see instructions.) Have you contacted DEO or the permitting authority in the state where the sewage sludge subject to the CPLRs will be applied to ascertain whether bulk sewage sludge subject to the CPLRs has been applied to this site since July 20, 1993? __Yes __No If no, sewage sludge subject to the CPLRs may not be applied to this site. If yes, provide the following information: Permitting authority: _____ Contact person: Phone:() Based upon this inquiry, has bulk sewage sludge subject to the CPLRs been applied to this site since July 20, b. 1993? Yes No If no. skip the rest of Ouestion 6. If yes, answer questions c - e. Site size, in hectares: (one hectare = 2.471 acres) c. Provide the following information for every facility other than yours that is sending or has sent sewage d. sludge subject to the CPLRs to this site since July 20, 1993. If more than one such facility sends sewage sludge to this site, attach additional pages as necessary. Facility name: Facility contact: Title: Phone: () Mailing address. Street or P.O. Box:___ City or Town: State: Zip:_____ Provide the total loading and allotment remaining, in kg/hectare, for each of the following pollutants: e. Cumulative loading Allotment remaining Arsenic Cadmium Copper Lead Mercury Nickel Selenium Zinc Complete Questions 7-12 below only if you apply sewage sludge, or you are responsible for land application of sewage sludge. Information required by these questions may be prepared as attachments to this form. Skip the following questions if you contract land application to someone else (as indicated under Section A.7) who is responsible for the operation. 7. Sludge Characterization. Use the table below or a separate attachment, provide at least one analysis for each parameter. PCBs (mg/kg) pH (S. U.) Percent Solids (%) Ammonium Nitrogen (mg/kg) Nitrate Nitrogen (mg/kg)

Lime treated sludge (10% or more lime by dry weight) should be analyzed for percent CaCO₃.

Total Kjeldahl Nitrogen (mg/kg) Total Phosphorus (mg/kg) Total Potassium (mg/kg) Alkalinity as CaCO₃ (mg/kg)

VPDES PERMIT NUMBER: VA0065358

Storage Requirements.

Existing and proposed sludge storage facilities must provide an estimated annual sludge balance on a monthly basis incorporating such factors as storage capacity, sludge production and land application schedule. Include pertinent calculations justifying storage requirements.

Proposed sludge storage facilities must also provide the following information:

- a. A sludge storage site layout on a 7.5 minute topographic quadrangle or other appropriate scaled map to show the following topographic features of the surrounding landscape to a distance of 0.25 mile. Clearly mark the property line.
 - 1) Water wells, abandoned or operating
 - 2) Surface waters
 - 3) Springs
 - 4) Public water supply(s)
 - 5) Sinkholes
 - 6) Underground and/or surface mines
 - 7) Mine pool (or other) surface water discharge points
 - 8) Mining spoil piles and mine dumps
 - 9) Quarry(s)
 - 10) Sand and gravel pits
 - 11) Gas and oil wells
 - 12) Diversion ditch(s)
 - 13) Agricultural drainage ditch(s)
 - 14) Occupied dwellings, including industrial and commercial establishments
 - 15) Landfills or dumps
 - 16) Other unlined impoundments
 - 17) Septic tanks and drainfields
 - 18) Injection wells
 - 19) Rock outcrops
- b. A topographic map of sufficient detail to clearly show the following information:
 - 1) Maximum and minimum percent slopes
 - 2) Depressions on the site that may collect water
 - 3) Drainageways that may attribute to rainfall run-on to or runoff from this site
 - 4) Portions of the site (if any) which are located with the 100-year floodplain and how the storage facility will be protected from flooding
- c. Data and specifications for the storage facility lining material.
- d. Plan and cross-sectional views of the storage facility.
- e. Depth from the bottom of the storage facility to the seasonal high water table and separation distance to the permanent water table.
- 9. Land Area Requirements. Provide calculations justifying the land area requirements for land application of sewage sludge taking into consideration average soil productivity group, crop(s) to be grown and most limiting factor(s) of the sewage sludge, specifically Plant Available Nitrogen (PAN), Calcium Carbonate Equivalence (CCE), and metal loadings (CPLR sewage sludge only), where applicable. Relate PAN, CCE, and metal loadings to demonstrate the most limiting factor for land application.
- 10. Landowner Agreement Forms. Provide a properly completed Sewage Sludge Application Agreement Form (attached) for each landowner if sewage sludge is to be applied onto land not owned by the applicant.
- 11. Ground Water Monitoring.

Are any ground water monitoring data available for this land application site? ___Yes ___No If yes, submit the ground water monitoring data with this permit application. Also submit a written description of the well locations, approximate depth to ground water, and the ground water monitoring procedures used to obtain these data.

12. Land Application Site Information.

(Complete Items a-d for sites receiving infrequent application - land application of sewage sludge up to the agronomic rate at a frequency of once in a 3 year period; complete Items a-h for sites receiving frequent application - land application of sewage sludge in excess of 70% the agronomic rate at a frequency greater than once in a 3 year period)

- a. Provide a general location map for each county which clearly indicates the location of all the land application sites.
- b. For each land application site provide a site plan of sufficient detail to clearly show the concerned landscape features and associated buffer zones (See instructions). Provide a legend for each landscape feature and the net acreage for each field taking into account the proposed buffer zones.
- In order to ensure that land application of bulk sewage sludge will not impact federally listed threatened or endangered species or federally designated critical habitat, the applicant must notify the field office of the U. S. Department of the Interior, Fish and Wildlife Service (FWS), by a letter, the proposed land application activities with the identification of the land application sites. The address and phone number of FWS are provided below.

U. S. Fish and Wildlife Service Ecological Services 6669 Short Lane Gloucester, VA 23061 TEL: (804) 693-6694

Provide a copy of the notification letter with this application form.

d. Provide a soil survey map, preferably photographically based, with the field boundaries clearly marked. (A USDA-SCS soil survey map should be provided, if available.)

Provide a detailed legend for each soil survey map which uses accepted USDA-SCS descriptions of the typifying pedon for each soil series (soil type). Complex associations may be described as a range of characteristics. Soil descriptions shall include as a minimum the following information.

- 1) Soil symbol
- 2) Soil series, textural phase and slope range
- 3) Depth to seasonal high water table
- 4) Depth to bedrock
- 5) Estimated soil productivity group (for the proposed crop rotation)

Item e - h are required for sites receiving frequent application of sewage sludge

- e. In order to verify the information provided in item d, characterize the soil at each land application site.

 Representative soil borings or test pits to a depth of five feet or to bedrock if shallower, are to be coordinated for the typifying pedon of each soil series (soil type). Soil descriptions shall include as a minimum the following information:
 - 1). Soil symbol
 - 2). Soil series, textural phase and slope range
 - 3). Depth to seasonal high water table
 - 4). Depth to bedrock
 - 5). Estimated soil productivity group (for the proposed crop rotation)

Zinc (ppm)
Manganese (ppm)
Particle Size Analysis or
USDA Textural Estimate (%)

Collect and analyze soil samples from each field, v	veighted to best represent each of the soil borings
• —	
•	
· · · · · · · · · · · · · · · · · · ·	
	
- u. i	
- ,	
, <u> </u>	
Exchangeable Magnesium (mg/100g)	
Arsenic (ppm)	
Copper (ppm)	
Lead (ppm)	<u></u>
Mercury (ppm)	
Molybdenum (ppm)	
Nickel (ppm)	
Selenium (ppm)	
	Arsenic (ppm) Cadmium (ppm) Copper (ppm) Lead (ppm) Mercury (ppm) Molybdenum (ppm) Nickel (ppm)

- g. Relate the crop nutrient needs to anticipated yields, soil productivity rating and the various fertilizer or nutrient sources from sludge and chemical fertilizers. Describe any specialized agronomic management practices which may be required as a result of high soil pH. If the sludge is expected to possess an unusually high CCE or other unusual properties, provide a description of any plant tissue testing, supplemental fertilization or intensive agronomic management practices which may be necessary.
- h. Using a narrative format and referencing any related charts, describe the proposed cropping system. Show how the crop rotation and management will be coordinated with the design of the land application system. Include any supplemental fertilization program, soil testing and the coordination of tillage practices, planting and harvesting schedules and timing of land application.

VPDES PERMIT NUMBER: VA0065358

SEWAGE SLUDGE APPLICATION AGREEMENT

This	sewage sludge application agreement is made on , referred to here a	this date	between	, referred to	
here	as the "Permittee".	as landowner, and _		, referred to	
with	owner is the owner of agricultural land shown or ("landowner's certain permit requirements following application or ized by VPDES permit number	s land"). Permittee ag n of sewage sludge on	rees to apply and lando landowner's land in an	wner agrees to comply	
cond publi	owner acknowledges that the appropriate applicationing to the property. Moreover, landowner as the health, the following site restrictions must be action:	acknowledges having l	been expressly advised	that, in order to protect	
1.	Food crops with harvested parts that touch the not be harvested for 14 months after applications.		nixture and are totally a	above the land surface shall	
2.	Food crops with harvested parts below the surface of the land shall not be harvested for 20 months after application of sewage sludge when the sewage sludge remains on the land surface for four months or longer prior to incorporation into the soil;				
3.	Food crops with harvested parts below the surface of the land shall not be harvested for 38 months after application of sewage sludge when the sewage sludge remains on the land surface for less than four months prior to incorporation into the soil;				
4.	Food crops, feed crops, and fiber crops shall not be harvested for 30 days after application of sewage sludge;				
5.	Animals shall not be grazed on the land for 30 days after application of sewage sludge;				
6.	Turf grown on land where sewage sludge is applied shall not be harvested for one year after application of the sewage sludge when the harvested turf is placed on either land with a high potential for public exposure or a lawn, unless otherwise specified by the State Water Control Board;				
7.	Public access to land with a high potential for public exposure shall be restricted for one year after application of sewage sludge;				
8.	Public access to land with a low potential for public exposure shall be restricted for 30 days after application of sewage sludge.				
9.	Tobacco, because it has been shown to accumulate cadmium, should not be grown on landowner's land for three years following the application of sewage sludge borne cadmium equal to or exceeding 0.5 kilograms/hectare (0.45 pounds/acre).				
speci	ittee agrees to notify landowner or landowner's defically prior to any particular application to landown notice to the address specified below.				
	Landowner:	Permittee:			
	Signature	Signa	ature		

Mailing Address


Mailing Address

SECTION D. SURFACE DISPOSAL


Complete this section only if you own or operate a surface disposal site. Provide the information for each active sewage sludge unit. N/A

1.	In for	mation on Active Sewage Sludge Units.
	a.	Unit name or number:
	b.	Unit location
		i. Street or Route#:
		County: State: Zip: ii. Latitude: Longitude:
		City or Town: State: Zip:
		ii. Latitude: Longitude:
		Method of faithude/longitude determination
		USGS map Filed survey Other
	c.	Topographic map. Provide a topographic map (or other appropriate map if a topographic map is unavailable) that shows the site location.
	d.	Total dry metric tons of sewage sludge placed on the active sewage sludge unit per 365-day period: dry metric tons.
	e.	Total dry metric tons of sewage sludge placed on the active sewage sludge unit over the life of the unit:
	f.	dry metric tons. Does the active sewage sludge unit have a liner with a minimum hydraulic conductivity of
		1 x 10 ⁻⁷ cm/sec?YesNo If yes, describe the liner or attach a description.
		1 X 10 cm/sec1 cs1 to 11 yes, describe the finer of accomplish.
	σ	Does the active sewage sludge unit have a leachate collection system?YesNo
	\mathbf{g} .	If yes, describe the leachate collection system or attach a description. Also, describe the method used for
		leachate disposal and provide the numbers of any federal, state or local permits for leachate disposal:
		reachate disposar and provide the numbers of any federal, state of focal permits for reachate disposar.
	h.	If you answered no to either f or g, answer the following:
	***	Is the boundary of the active sewage sludge unit less than 150 meters from the property line of the surface
		disposal site?YesNo If yes, provide the actual distance in meters:
	i.	Remaining capacity of active sewage sludge unit, in dry metric tons: dry metric tons
		Anticipated closure date for active sewage sludge unit, if known: (MM/DD/YYYY)
		Provide with this application a copy of any closure plan developed for this active sewage sludge unit.
		2. To vide with this approach a copy of any crossic plant developed for this deathe seriage stange with
2	Sewa	ge Sludge from Other Facilities.
		vage sludge sent to this active sewage sludge unit from any facilities other than yours?YesNo
		, provide the following information for each such facility, attach additional sheets as necessary.
	a.	Facility name:
	b.	Facility contact:
	O.	Title:
		Phone: ()
	c.	Mailing address.
	٠.	
		Street or P.O. Box: City or Town: State: Zip:
	d.	List, on this form or an attachment, the facility's VPDES permit number as well as the numbers of all other
		federal, state or local permits that regulate the facility's sewage sludge management practices;
		Permit Number: Type of Permit:
		Type of Forme.
	e.	Which class of pathogen reduction is achieved before sewage sludge leaves the other facility?
	C.	Class AClass BNeither or unknown
	f.	-
	1.	Describe, on this form or on another sheet of paper, any treatment processes used at the other facility to
		reduce pathogens in sewage sludge:

FACIL	ITY NA	ME: Boston Water & Sewer STP VPDES PERMIT NUMBER: VA0065358
	g.	Which vector attraction reduction option is achieved before sewage sludge leaves the other facility? Option 1 (Minimum 38 percent reduction in volatile solids) Option 2 (Anaerobic process, with bench-scale demonstration) Option 3 (Aerobic process, with bench-scale demonstration) Option 4 (Specific oxygen uptake rate for aerobically digested sludge) Option 5 (Aerobic processes plus raised temperature) Option 6 (Raise pH to 12 and retain at 11.5) Option 7 (75 percent solids with no unstabilized solids) Option 8 (90 percent solids with unstabilized solids) None or unknown
	h.	Describe, on this form or another sheet of paper, any treatment processes used at the other facility to reduce vector attraction properties of sewage sludge:
	i.	Describe, on this form or another sheet of paper, any other sewage sludge treatment activities performed by the other facility that are not identified in e - h above:
3.	Vector 2 a.	Attraction Reduction. Which vector attraction reduction option, if any, is met when sewage sludge is placed on this active sewage sludge unit? Option 9 (Injection below land surface) Option 10 (Incorporation into soil within 6 hours) Option 11 (Covering active sewage sludge unit daily)
	b.	Describe, on this form or another sheet of paper, any treatment processes used at the active sewage sludge unit to reduce vector attraction properties of sewage sludge:
4.	Ground	Water Monitoring.
	a.	Is ground water monitoring currently conducted at this active sewage sludge unit or are ground water monitoring data otherwise available for this active sewage sludge unit?YesNo If yes, provide a copy of available ground water monitoring data. Also provide a written description of the well locations, the approximate depth to ground water, and the ground water monitoring procedures used to obtain these data.
	b. с.	Has a ground water monitoring program been prepared for this active sewage sludge unit? YesNo If yes, submit a copy of the ground water monitoring program with this application. Have you obtained a certification from a qualified ground water scientist that the aquifer below the active sewage sludge unit has not been contaminated?YesNo If yes, submit a copy of the certification with this application.
5.	Are you	seeking site-specific pollutant limits for the sewage sludge placed on the active sewage sludge unit? No If yes, submit information to support the request for site-specific pollutant limits with this ion.



Flow Diagram of Boston Water and Sewer STP



Outfall 001 to Hazel River, UT



May 9, 2013

Fauquier County Service Authority Remington WWTP Attn: Raymond Searls Director of Operations 12523 Lucky Hill Road Remington VA, 22734

RE: Boston Water and Sewer STP Sludge

VPDES Permit No. VA0065358

Dear Mr. Searls:

To be in compliance with the VPDES Permit Regulation (9VAC 25-31-530 G) I am required to notify you that in treating and disposing of our sewage sludge you must comply with the VPDES Permit Regulation Part VI, Subpart B – Land Application, if your facility disposes of sewage sludge by this method.

Should you have any questions on this matter, please contact the Northern Virginia Regional Office (NVRO) of the Department of Environmental Quality (DEQ) in Woodbridge, VA.


Sincerely,

Cody Hoehna, Operations Manager Environmental Services Division

cc: DEQ, NVRO

Attachment 4

Sludge Hauling Route From Boston Water and Sewer STP



©2003 MapQuest.com, Inc.; ©2003 GDT, Inc.

156900 Berkeley Dr Haymarket, VA 20169

Septage Hauler: Butler and Eicher


10607 James Madison Hwy

Bealton, VA 22712 Phone: 540-347-2274

Hauling Hours: Monday- Friday

8:00 am- 5:00 pm





12523 Lucky Hill Rd. Remington, VA 22734

Remington WWTP

Mr. Raymond Searls, Director of Operations

Phone: 540-439-2480

Receiving Facility VPDES #: VA0076805 Contact Hours: 8:00-5:00 Monday -Friday